The original and first copy of this report are to be RECEIVADER WEI	L REPORT			
filed with the STATE OF	OREGON State Well No.	55/	1w-,	4
STATE ENGINEER, SALEM, OREGON 970EC 11975 (Please type within 30 days from the date	e or print)  State Permit I	•		
of well completion WATER RESOURCES DEPT write at	bove this line)	TO: LINCETHING		MANAGEMENT WOODS
SALEN OPECON		· · · · · · · · · · · · · · · · · · ·		<del> </del>
(1) OWNER:	(10) LOCATION OF WELL:			
Name Pan IIn Can	County MATION Driller's well number			
Address 354 Beth lehem yor Vals ove	NE 4 SE 4 Section 4 T. 48 R. 1 W.M.			
	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	3			
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	F au			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 78 ft.			
Rotary	Static level 23 ft. below land surface. Date //-/8-73			
Cable				
THE RESERVE THE PROPERTY OF TH	Artesian pressure Ibs. per square inch. Date			
CASING INSTALLED: Threaded   Welded	(12) WELL LOG: Diameter of well	helow en	nin of	
10 "Diam. fromft. to 150 ft. Gage 1250	Doubt duilled 15/1 # Doubt of well below casing			
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials;			
"Diam. from ft. to ft. Gage	and show thickness and nature of each stratu	m and a	quifer pe	netrated,
PERFORATIONS: Perforated? N Yes   No.	with at least one entry for each change of forms position of Static Water Level and indicate prin	tion. Ren	ort each	change in
		T wa	ter-oeari	ig strata.
	MATERIAL	From	То	SWL
Size of perforations in. by / 2 in.	10/0 5011	0	2	
b 8.0 perforations from 5 ft. to 14.5 ft.	Brown alay	2	18	
perforations from ft. to ft.	Brown gilt & clay	18	24	
perforations from ft. to ft.	Brown Clay	24	36	
(7) SCREENS: Well screen installed?   Yes M No	Blue Silly Clay	36	60	<del></del>
Monufacturan's Nome	Blacelay	60	78	0.0
Tyne Model No.	Gand of L	78	118	23
Diam. Slot size Set from ft. to ft.	Alle Clar	118	146	23
Diam. Slot size Set from ft. to ft.	Dide Clay	146	150	
				<del></del>
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			l. ————————————————————————————————————	
Was a pump test made? The Yes No If yes, by whom?				
Yield: gal./min. with ft. drawdown after hrs.	. 145			
" " "				
The state of the s	The state of the s			
Bailer test 60 gal./min. with 7 ft. drawdown after hrs.	The state of the s			
Artesian flow g.p.m.				
perature of water Depth artesian flow encountered ft.	Work started //- /0 19 75 Complet	ed- <i>j1-</i>	25	19 75
(9) CONSTRUCTION:	Date well drilling machine moved off of well	11 -	26	19 75
Well seal-Material used Coment	Drilling Machine Operator's Certification:			
Well sealed from land surface toft	This well was constructed under my	direct	super	vision.
Diameter of well bore to bottom of seal // in.	Materials used and information reported best knowledge and belief.	above a	are true	to my
Diameter of well bore below seal		D-4- /	1-91	
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)			
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No			
Brand name of bentonite				
Number of pounds of bentonite per 10 allons	Water Well Contractor's Certification:			
of water Ibs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Jul Beck Welldrill 12.4			
Did any strata contain unusable water? Tyes I No	(Person, firm or corporation) (Type or print)			
Type of water? depth of strata	Address 24/37 9 Skylane Dr Canij one			
Method of sealing strata off	- les 1.1 12. 1.			7
Was well gravel packed?   Yes   No Size of gravel:	[Signed] for Mull Ose for (Water Well Contr	actor)		***************************************
Gravel placed from tt. to tt.	Contractor's License No. 749 Date /	-	C	س_ 7 م.
CUSE ADDITIONAL SH				, 19. <i>f</i>
TE THE TAX PROPERTY OF THE PRO	A MEUROSAKYI		~~	*4F0F0 440