. STATE OF OREGON JUL 1 4 1975 State Well No. 55/14-4 ba filed with the (P)ease type WATER RESOURCES DEPT Remit No. 6-734 STATE ENGINEER, SALEM, OREGON 9731 within 30 days from the date (Do not write above this ALEM. OREGON of well completion. (1) OWNER: (10) LOCATION OF WELL: Name Gary Jungwirth Marion Driller's well number 1898 Address Rt. 1 Box 46 14 Section 4 T. 5 R. W.M. Woodburn, Oregon Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Reconditioning [Abandon [Deepening 🔲 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven [Rotary Domestic N Industrial Municipal Static level 33 ft. below land surface. Date 7-10-75 Jetted [Cable Irrigation | Test Well | Other Bored | Artesian pressure Ibs. per square inch. Date CASING INSTALLED: Threaded 🔲 Welded 🛚 (12) WELL LOG: Diameter of well below casing ... 6 "Diam from top ft to 120 ft Gage 250 Depth drilled 120 ft. Depth of completed well 120 " Diam. from ft. to ft. Gage Formation: Describe color, texture, grain size and structure of materials; " Diam. from _____ft. Gage ___ and show thickness and nature of each stratum and aquifer penetrated. with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Tyes P No. Type of perforator used MATERIAL Size of perforations Top Soil perforations from ______ft, to _____ Brown Silty Clay 2 46 __ perforations from Blue Silty Clay 48 76 perforations from Black sand 76 91 Bray Silty Clay <u> 108</u> 91 (7) SCREENS: Well screen_installed? Yes X No Black sandy clay 108 114 Manufacturer's Name Grav silty clay 114 117Model No. Black sand and gravel 117 Diam. Slot size from ft. to ft. Diam. Slot size _____ Set from _____ ft. to _____ ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made?
Yes No II yes, by whom? Yield: gal./min. with ft. drawdown after hrs. 45 gal./min. with 25ft. drawdown after 1 hrs. Bailer test Artesian flow g.p.m. perature of water Depth artesian flow encountered ____ Work started July 7, 759 Completed July 10, 19 75 Date well drilling machine moved off of well July 10, 197519 (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used ___Cement_ This well was constructed under my direct supervision. Well sealed from land surface to ...20 Materials used and information reported above are true to my Diameter of well bore to bottom of seal 10 in. best knowledge and belief. Diameter of well bore below seal ______in. [Signed] Della Peus Date 7-10-75, 19 Number of sacks of cement used in well seal _____6 Drilling Machine Operator's License No. 752 Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gilons This well was drilled under my jurisdiction and this report is lbs./100 gals. true to the best of my knowledge and belief. Was a drive shoe used? ☑ Yes ☐ No Plis ____ Size: location ____ ft_ Name WILLAMETTS DRILLING COMPANY Did any strata contain unusable water? Yes No (Person, firm or corporation) (Type or print) Address 1450 Barnick Road NE Salem, Oregon 97303 Type of water? Method of sealing strata off Was well gravel packed? ☐ Yes ☑ Size of gravel: (Water Well Contractor) Contractor's License No. 2 Date 7-10-75, 19 Gravel placed from (USE ADDITIONAL SHEETS IF NECESSARY) SP*45656

WATER WELL REPO

NOTICE TO WATER WELL CONTRACTOR The original and first copy

of this report are to be