NOTICE TO WATER WELL CONTRACTOR The original and first copy WATER WELL REPORT state Well No. 5 5/1W-4 ba of this report are to be filed with the STATE OF OREGON STATE ENGINEER, SALEM, OFFICOT 97(10 within 30 days from the Please type or print) State Permit No. of well completion. (1) OWNER: STATE ENGINEER

Name Woodburn For FALEM-FORFARN Fre

Address 868 N Frunt ST Woodburn One (10) LOCATION OF WELL: County Marrion Dri NE 4NW 4 Section 4 Driller's well number Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening Reconditioning [Abandon | If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Rotary Driven 🛘 Domestic | Industrial | Municipal | Static level 3 4 ft. below land surface. Date, Sept 28.72 Cable Jetted 🛚 Irrigation Test Well | Other Bored | Artesian pressure Ibs. per square inch. Date () CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing . 12 " Diam. from 0 ft. to 160 ft. Gage 250 Depth drilled /60 ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials: and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Yes No. Type of perforator used \$777- HWOY Size of perforations in. by 18 3/2 x/1/2 perforations from 130 ft. to 155 Brown (184 & 5111 (7) SCREENS: Well screen installed? ☐ Yes ☐ No Manufacturer's Name Black Gilt Dark gand Diam. Slot size Set from gand & Course gravel Diam. Slot size Set from ... ement Grave Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? Tes \(\sigma\) No If yes, by whom? \(\begin{align*} \lambda \) \(\begin{align*} \lambda \] \(\begin{align*} \lambda \\ \begin{align*} \lambda \lambda \\ \begin{align*} \l Yield: 600 gal./min. with 38 ft. drawdown after 4 hrs. ft. drawdown after Bailer test gal./min. with Artesian flow mperature of water 53 Depth artesian flow encountered ... Work started M44 & 8 19 72 Completed Sept 24 1972

Date well drilling machine moved off of well SEPT 28 1972 (9) CONSTRUCTION: Well seal-Material used Bentonik & Cement Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Date 9-29, 1972

(Drilling Machine Operator) Diameter of well bore to bottom of seal 16 Diameter of well bore below seal ______in, Number of sacks of cement used in well seal....... Number of sacks of bentonite used in well sal Z Brand name of bentonite Control Origon Drilling Machine Operator's License No. 437 Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is Was a drive shoe used? Yes No Plugs Size: location _____ ft. Did any strata contain unusable water? Tes Tes

This well was drilled under my junisdreton true to the best of my knowledge and belief.

Name Where Welder Welder (Type or print)

Contractor's License No. 449 Date 9-29 (USE ADDITIONAL SHEETS IF NECESSARY)

Type of water?

Method of sealing strata off

Was well gravel packed? Yes