NOTICE TO WATER WELL, CONTRACTOR

The original and first copy of this report are to be filed with the

STATE OF OREGON OCT 3 1 197 State Well No. 95/3W-24

(Please type or print) TATE ENGINEER

(Please type or print) TATE ENGINEER

STATE ENGINEER, SALEM, OREGOI within 30 days from the date

of well completion. (Do not write a	bove this line	. Ио	- 	
(1) OWNER:	(10) LOCATION OF WELL:	-		
Name Less Goodall	1/1/1	_		
Address R4, 1 Box 382 B			,	
Jefferson OR	NE 14 S. W14 Section 24 T. 9,5			W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivis	ion corne	r	
*** *** *** *** *** *** *** *** *** **				
New Well P Deepening ☐ Reconditioning ☐ Abandon ☐ If abandonment, describe material and procedure in Item 12.				
	(11) WATER LEVEL: Completed v	vell.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 178 ft.			
Rotary A Driven Domestic M Industrial Municipal Domestic M Industrial Domestic M Industrial Domestic M Industrial Domestic M Industrial Domestic D Industrial Domestic D Industrial D Industrial D Industrial D Industrial D	To bolow land battace. Date?			
Dug ☐ Bored ☐ Irrigation ☑ Test Well ☐ Other ☐				
	ins. per squa	re inch.	Date	
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well	holow oos	ing (3
8 "Diam from 0 ft to 20 ft. Gage •250	Diameter of went below casing			
ft. to ft. Gage				ft.
	Formation: Describe color, texture, grain size and show thickness and nature of each stratu	ım and ac	uifer pe	netrated.
PERFORATIONS: Perforated? [] Yes Ki No.	with at least one entry for each change of forms position of Static Water Level and indicate printing	ation. Repo	ort each	change in
Type of perforator used		1 (
	Top Soil	From	То	SWL
Size of perforations in. by in.	Sub Soil	0	1	
perforations from ft. to ft.	Clay Brn.	1	6	
perforations from ft. to ft.		6	10	
perforations from ft. to ft.	Sandstone grey med.	10	18	
(7) SCREENS: Well screen installed? Yes No	Sandstone grey hard	18	30	
Manufacturer's Name	Claystone grey med.	30	152	
Type Model No.	Sandstone grey hard	152	178	
Diam. Slot size Set from ft. to ft.	Sandstone grey-green hard Sandstone grey hard	178	228	WB
Diam Slot size Set from ft. to ft.		228	30 3	
		+-+		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		1		<u> </u>
Was a pump test made? ☐ Yes ☒ No If yes, by whom?		 		
Viold.		1		
and the state of t		 		
" " "		1		
Air " "				* · · · · · · ·
gal./min. with 188ft. drawdown after 2 hrs.				
Artesian flow g.p.m.				
perature of water Depth artesian flow encountered ft.	Work started9=15=72 19 Complet	ed 9-18	3_72	19
(9) CONSTRUCTION:	Date well drilling machine moved off of well 9-18-72			
	Drilling Machine Operator's Certification:	 -		
Well seal—Material used Bentonite Well sealed from land surface to 20	This well was constructed under my		Silner	wision
It.	Materials used and information reported	above a	re true	to my
A Sear Maria Social Constitution of Sear	best knowledge and belief.	•	es 1	
	[Signed] Charles State (In (Drilling Machine Operator)	Date ?	% .(, 19.7.2
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No.	7.5	<i>,</i>	
Number of sacks of bentonite used in well seal sacks Brand name of bentonite National			-6	
	Water Well Contractor's Certification:			
Number of pounds of bentonite per 100 gallons of water Approx 100	This well was drilled under my jurisdiction and this report is			
of water lbs./100 gals. Was a drive shoe used? ☐ Yes 🌣 No Plugs Size: location ft.	true to the best of my knowledge and belief.			
Did any strata contain unusable water? Yes M No	Name R. Stadeli & Sons Inc.			
	(Person, firm or corporation) Address Rt. 3 Box 169 Silverton	(Tyr	e or prin	t)
Type of water? depth of strata	Address) DOX 109 DILVERTON	<u>Un</u>		
Method of sealing strata off	[Signed] Saul X. Stude	نگ		
Was well gravel packed? ☐ Yes 🗓 No Size of gravel:	(Water Well Contr	actor)	***********	**********

Contractor's License No. 296 Date 9-22