NOTICE TO WATER WELL CONTRACTOR
The original and first cop D E C E | VEATER WELL REPORT of this report are to be filled with the NOV 10 1970 THE OF OREGON (Please type or print) State Well No. 5/1W-6 STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the Sate ATE ENGINEER write above this line) State Permit No. SALEM. OREGON (1) OWNER: (10) LOCATION OF WELL: JACK HUNE MARICN Driller's well number 6 T. 55 R. 1W 14 Section Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [Reconditioning [Abandon 📋 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven 🗆 Rotary Domestic Industrial | Municipal | Static level 49 ft. below land surface. Date 8/11/ Cable Jetted Dug Bored Irrigation Test Well Other Artesian pressure - Ibs. per square inch. Date CASING INSTALLED: Threaded | Welded (12) WELL LOG: Diameter of well below casing 8 " Diam. from O ft. to 140 ft. Gage 250 Depth drilled / 10 ft. Depth of completed well " Diam. from ft. to ft. Gage Formation: Describe color, texture, grain size and structure of materials; " Diam. from _____ft. Gage ____ and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in **PERFORATIONS:** position of Static Water Level and indicate principal water-bearing strata. Perforated? Ves No. Type of perforator used MILLS KNIFF MATERIAL Size of perforations 3/8 in. by 3/4 in. SURFACE 3 72 perforations from 127 ft. to 132 ft. BROWN SANDY CIAY 3 29 perforations from _____ ft. to _____ ft. BLUE SAMON CLAY 29 69 perforations from BLACK SAND 93 BLUE CLAU 95 (7) SCREENS: Well screen installed? | Yes | Wo BLACK SAND 98 Manufacturer's Name SROWN BANDY CLAY Model No BLACK SAND LENAUX 112 Diam. Slot size Set from ft. to CARIZI Diam. Slot size Set from ft. to ft. BLUE CLAY 136 Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? Thes D No If yes, by whom? DRILLER, 200 gal./min. with 35 ft. drawdown after 20 hrs. gal./min. with Bailer test ft. drawdown after Artesian flow pperature of water 54 Depth artesian flow encountered ft. 1970 19 70 Completed & /// Date well drilling machine moved off of well (9) CONSTRUCTION: Well seal-Material used BENKINIE + DRILL QUELING Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Well sealed from land surface to 25 Materials used and information reported above are true to my Diameter of well bore to bottom of seal ______in.

Diameter of well bore below seal _____in. best knowledge and belief. Diameter of well bore below seal 27 Mll - Date 8/11, 1970 Drilling Machine Operator's License No. 26 Number of sacks of bentonite used in well seal _______ sacks Brand name of bentonite PRINUICLE Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallis This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name WILLIAM DC LARISTENSON Did any strata contain unusable water Tyes ID No Type of water? Address Method of sealing strata off Was well gravel packed? 🔲 Yes 🗖 📆 Size of gravel: Contractor's License No. 5// Date 8/// Gravel placed from (USE ADDITIONAL SHEETS IF NECESSARY)