

RECEIVED

MAR 10 1960

WATER-WELL REPORT

STATE OF OREGON

State Well No. 10/2w-48

State Permit No.

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

SEP 20 1960

STATE ENGINEER

(1) OWNER: SALEM OREGON Name: Gale & West Address: Rt 1 Turner, Ore

(2) LOCATION OF WELL: County: MARION Owner's number, if any: 1/4 Section 4 T. 10S R. 2W W.M. Bearing and distance from section or subdivision corner: 840 ft S and 1495 ft E from the NW corner of section 4

(3) TYPE OF WORK (check): New Well [x] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 11.

(4) PROPOSED USE (check): Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [] Other [] (5) TYPE OF WELL: Rotary [] Cable [x] Dug [] Driven [] Jetted [] Bored []

(6) CASING INSTALLED: 8" Diam. from 0 ft. to 36 ft. Gage 2.50

(7) PERFORATIONS: Perforated? [x] Yes [] No Type of perforator used: Cutting torch SIZE of perforations: 7 x 6" in by 4.5 perforations from 21 ft. to 36 ft.

(8) SCREENS: Well screen installed [] Yes [x] No Manufacturer's Name: Type: Model No. Slot size: Set from: ft. to: ft. Diam. Slot size: Set from: ft. to: ft.

(9) CONSTRUCTION: Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from: ft. to: ft. Was a surface seal provided? [] Yes [x] No To what depth? 9 ft. Material used in seal: Drillings Did any strata contain unusable water? [] Yes [x] No Type of water? Depth of strata Method of sealing strata off

(10) WATER LEVELS: Static level: 10 ft. below land surface Date: 4/16/59 Artesian pressure: lbs. per square inch Date:

Log Accepted by: [Signed] Gale & West Date: 4/16, 1959 (Owner)

(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [] No If yes, by whom? Owner Yield: 120 gal./min. with 15 ft. drawdown after 3 hrs.

(12) WELL LOG: Diameter of well: 8 inches. Depth drilled: 36 ft. Depth of completed well: ft.

Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with 3 columns: MATERIAL, FROM, TO. Entries include: Sandy topsoil clay (0 to 7'6"), Unconsolidated sand & gravel to boulder size (7'6 to 36), Considerable silt and some trace of clay on gravel.

Work started 4/10 1959 Completed 4/15 1959

(13) PUMP: Manufacturer's Name: Type: H.P.

Well Driller's Statement: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME: WEST WELL DRILLING (Person, firm, or corporation) (Type or print)

Address: 4098 MARKET ST. N.E.

Driller's well number:

[Signed] Marion E. West (Well Driller)

License No. 30 Date: 4/16, 1959