## NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the state of the state of

Artesian pressure

1967 WATER WELL REPORT

State Well No.	10/20	-7 F
Diate Hell 2101	7	

STATE OF OREGON

of well completion	State Permit No.	
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level	
Name Paul Smith Leasee Jim Towery	Was a pump test made? Yes No If yes, by whom?	
Address Rte. 1, Box 316 Rte. 1; Box296	Yield: 400 gal./min. with 1 ft. drawdown after 1 hrs.	
Jefferson, Ore. Turner, Ore.	n n n	
(2) LOCATION OF WELL:	n n n	
202	Bailer test gal./min. with ft. drawdown after hrs.	
County Marion Driller's well number 221  SE 14 Section 7 T. 10S R. 2V W.M.	Artesian flow g.p.m. Date	
1313 74 1312 74 Section 1	Temperature of water Was a chemical analysis made? ☐ Yes X No	
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below casing 10"	
	Depth drilled 25 ft. Depth of completed well 21 ft.	
	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each show thickness of aquifers are entry for each change of formation.	
	show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.	
(a) TYPE OF WORK (AL-al-).	MAISHAL	
(3) TYPE OF WORK (check):	TOU SUIT (Santy)	
Well 4 Deepening Reconditioning Abandon	Copples = Stavet - Otay	
bandonment, describe material and procedure in Item 12.	Dilatt Livet State 1 1 201 001	
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Graver - Cray	
Domestic □ Industrial □ Municipal □ Rotary □ Driven □	Clay (blue-firm) 20 25	
Trainguition Tart Well C Other C		
(6) CASING INSTALLED: Threaded Welded		
0 Diam. from0ft. to20t. Gage250		
ft. to ft. Gage ft.		
(7) PERFORATIONS: Perforated? ★Yes □ No		
Type of perforator used Acet Torch		
Size of perforations 2/9 in hy 8 in.		
40 perforations from 20 ft. to 18 ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
(8) SCREENS: Well screen installed? ☐ Yes 🕱 No		
Manufacturer's Name		
e		
Diam Slot size Set from ft. to ft.	Work started 4/21/67 19 Completed 4/21/67 19	
Diam Slot size Set from ft, to ft.	Date well drilling machine moved off of well 4/22/67 19	
(9) CONSTRUCTION:	(13) PUMP:	
	1 ` `	
Well seal—Material used in seal Bentonite Slurry	Manufacturer's Name	
Depth of seal		
Diameter of well bore to bottom of seal	Water Well Contractor's Certification:	
Were any loose strata cemented off? Tyes No Depth	This well was drilled under my jurisdiction and this report i	
Was a drive shoe used? ☐ Yes ☐ No Size of gravel:	true to the best of my knowledge and belief.	
Was well gravel packed?  Yes No Size of gravel:	NAME Pete Tolmasoff Well Drilling	
	(Person, firm or corporation) (Type or print)	
Did any strata contain unusable water? Yes No	Address Turner, Ore.	
Type of water? depth of strata  Method of sealing strata off	Drilling Methina Operator's License No. 320	
	Drilling Machine Operator's License No	
(10) WATER LEVELS:	[Signed] Vit Colman	
Static level 6 ft. below land surface Date 4/22/6	[Signed] (Water Well Contractor)	
Artesian pressure lbs. per square inch Date	Contractor's License No. 410 Date 2/24/67 19	