NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date
of well completion.

## WATER WELL REPORT EIVED

STATE OF OREGON MAY 301978
(Please type or print)

State Well

$_{No.}$ $108 3W-2$
---------------------

(Do not write above this line) RESOURCES Detail Permit No.

SALEM. OFEGON

(1) OWNER:	(10) LOCATION OF WELL:		
Name Jefferson Baptist Church	County Marion Driller's well no		<u>K.</u>
Address Rt.1 Box 32	14 14 Section 2 T. 10S	R. 3W	W.M.
Jefferson, Oregon 97352	Bearing and distance from section or subdivision	on corner	
(2) TYPE OF WORK (check):			
New Well 🗶 Deepening 🗌 Reconditioning 🗍 Abandon 🗍			
If abandonment, describe material and procedure in Item 12,	(11) WATER LEVEL: Completed w	ell.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	197	ft.
Rotary Driven Domestic Industrial Municipal	Static level 38 ft. below land s	surface. Date	5/5/78
Cable	Artesian pressure lbs. per squar	re inch. Date	
CASING INSTALLED:  6 " Diam. from 0 ft. to 168 ft. Gage 250  " Diam. from ft. to ft. Gage ft.	(12) WELL LOG: Diameter of well in Depth drilled 680 ft. Depth of compiler formation: Describe color, texture, grain size and show thickness and nature of each stratu with at least one entry for each change of format position of Static Water Level and indicate principles.	leted well and structure o am and aquifer ation. Report eac	680 ft.  f materials; penetrated, ch change in
Type of perforator used	MATERIAL	From To	swL
Size of perforations in. by in.	Topsoil	0 1	
perforations from	Gravel (medium)	1 18	
perforations from ft. to ft.	Brown clay&gravel	18 23	
perforations from ft. to ft.	Sandy loam	23 30	
(7) SCREENS: Well screen installed?   Yes I No	slue clay	30 32	i
(7) SCREENS: Well screen installed?  Yes I No Manufacturer's Name	Dark blue sandy clay	32 40 40 75	
Type Model No.	Light green clay	75 87	
Diam. Slot size Set from ft. to ft.	Light blue clay	87 12	
Diam, Slot size Set from ft. to ft.	Brown sticky clay	126 14	
	Blue clay	145 16	T. 1
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Blue sandstone	166 23	1
Was a pump test made? ☐ Yes ₩ No If yes, by whom?	Light grey sandstone	231 29	0
Yield: gal./min. with ft. drawdown after hrs.	Dark grey sandstone	290 41	
" "	Light grey sandstone	413 46	_ 1
" Tested with air: could fluctuate "	Dark grey sandstone	469 68	0
pager test 4 gal./min. with 559 ft. drawdown after 4 hrs.		<del>  </del>	<u> </u>
Artesian flow g.p.m.		1	
perature of water Depth artesian flow encountered ft.	Work started 5/3/78 19 Complete	ted 5/19/7	8 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well	5/79/7	8 19
Well seal—Material used Cement	Drilling Machine Operator's Certification	:	
Well sealed from land surface to	This well was constructed under my Materials used and information reported best knowledge and belief.	direct sup	ervision rue to my
Diameter of well bore below seal	[Signed] (Drilling Machine Operator)	Date	7/, 19
Truthou of build of content about in war page minimum and an arrangement of building and arrangement of building arrangement of buildi	Drilling Machine Operator's License No.	689	
How was cement grout placed?  Mixed and poured from top			
TILACE GIAL DOUTER TION 405	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction and this report i true to the best of my knowledge and belief.		
Was a drive shoe used? $\frak{\frak{T}}\ Yes \ \Box$ No Plugs Size: location ft.	Name Corvallis Drilling Co. Inc.		
Did any strata contain unusable water?   Yes No	(Person, firm or corporation)	(Type or	-
Type of water? depth of strata	Address 3440 SW 3rd St. Corvall	18.,uregor	r>1-5-57.
Method of sealing strata off	[Signed] Platerice A Kin	andi.	
Was well gravel packed? [] Yes 🍒 No Size of gravel:	(Water Well Con		
Cravel placed from ft to ft	Contractor's License No560 Date	5/22/78	19