NOTICE TO WATER WELL CONTRACTOR?

The original and first copy of this report are to be 1 JUN 2 S 1972

WATER WELL REPORT filed with the

STATE OF OREGON A

D 16685 State Well No. 75/2W-36

STATE ENGINEER, SALEM, OREGON 9740 ENGINEER asse type or print)
within 30 days from the dats ALEM. OF COMpany write above this line)

State Permit No.

	(10) LOCATION OF WELL:
(1) OWNER:	County MATE/GIV Driller's well number
Name CLARENCE UNFFIRES	
Address 730 Howall PRIMITE SIE	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision cofner
New Well Z Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	(44) YVAMND I FITTEL (1 . 1 . 1
	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found led ft.
Rotary Driven Domestic Industrial Municipal Domestic Industrial Municipal Domestic Industrial Domestic Ind	Static level 134 ft. below land surface. Date 6-19-03
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per square inch. Date
Threaded Welded W	(12) WELL LOG: Diameter of well below casing Depth drilled 220 ft. Depth of completed well 220 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
	MATERIAL From To SWL
Type of perforations in by in.	PRD-TOP-COIL + 12 15
Cize of performing	DISCOM POSED ROCK
perforations from ft. to ft ft ft.	BLACK-BASALT 15 25
perforations from ft. to ft.	RED - VESICULATE 25 30
	BASALT
(7) SCREENS: Well screen installed? Yes No	BLACK + GRAY 11 30 195
Manufacturer's Name	11 105 220
Type Model No.	
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from 1t. to 1t.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? ☐ Yes ☑ No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " " "	
" 1.2 " " "	
A/16	
-	
Artesian flow g.p.m.	1 11 1000 11 1000
perature of water Depth artesian flow encountered ft.	Work started $6-16-1972$ Completed $6-19-1972$
(9) CONSTRUCTION: , Ruck	Date well drilling machine moved off of well 6-19- 1992
Well seal-Material used C/EMANT & CUTTINES	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of sealin.	hest knowledge and belief.
Diameter of well bore below seal in.	[Signed] Muslon Clean Date 6-22, 19.9.2
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No
Number of sacks of bentonite used in well seal sacks	
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
of waterlbs./100 gals.	true to the best of my knowledge and belief.
Was a drive shoe used? ☐ Yes ZNO Plugs Size: location ft. Did any strata contain unusable water? ☐ Yes ☐ No	Name (Person, firm or corporation) (Type or print)
	Address 55,45 JOSKPH ST.S.E.
	11. 150, -11 SAL
Method of sealing strata off	[Signed] (Water Well Contractor)
Was well gravel packed? Yes No Size of gravel:	
Gravel placed from ft. to ft.	Contractor's License No. 37 Date 6-22