

#16

MAR 1 17190

RECEIVED

55/1w/36 ba

STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

MAR - 4 1991

(START CARD) # 25453

(1) OWNER: Name Gerald Sprauer Address 14736 Monitor-McKee Rd. NE City Mt. Angel State OR Zip 97362

(2) TYPE OF WORK: [X] New Well [] Deepen [] Recondition [] Abandon

(3) DRILL METHOD [X] Rotary Air [] Rotary Mud [] Cable [] Other

(4) PROPOSED USE: [X] Domestic [] Community [] Industrial [] Irrigation [] Thermal [] Injection [] Other

(5) BORE HOLE CONSTRUCTION: Special Construction approval Yes No [X] Depth of Completed Well 177 ft. Explosives used [] [X] Type Amount

Table with columns: HOLE Diameter, From, To; SEAL Material, From, To; Amount sacks or pounds. Row 1: 10, 0, 24, Gran. Bent., 0, 24, 11 sacks. Row 2: 6", 24, 177

How was seal placed: Method [] A [] B [] C [] D [] E [X] Other Poured dry Backfill placed from ft. to ft. Material Gravel placed from ft. to ft. Size of gravel

(6) CASING/LINER: Table with columns: Diameter, From, To, Gauge, Steel, Plastic, Welded, Threaded. Casing: 6, +2, 134, .250, [X], [], [X], []. Liner: 5, 128, 171, .188, [X], [], [X], [].

Final location of shoe(s)

(7) PERFORATIONS/SCREENS: [X] Screens Method Type 20 slot Material Stainless. Table with columns: From, To, Slot size, Number, Diameter, Tele/pipe size, Casing, Liner. Row 1: 141, 151, 20, 10, 5", 5 9/16, [X], [].

(8) WELL TESTS: Minimum testing time is 1 hour. [] Pump [] Bailer [X] Air [] Flowing Artesian. Yield gal/min 35, Drawdown, Drill stem at 160, Time 1 hr.

Temperature of water 55 Depth Artesian Flow Found Was a water analysis done? [] Yes By whom Did any strata contain water not suitable for intended use? [] Too little [] Salty [] Muddy [] Odor [] Colored [] Other Depth of strata

(9) LOCATION OF WELL by legal description: SALEM, OR County Latitude Longitude Township 5S N or S, Range 1W E or W, WM. Section 36 NE 1/4 NW 1/4 Tax Lot Lot Block Subdivision Street Address of Well (or nearest address) SAME

(10) STATIC WATER LEVEL: 41 ft. below land surface. Date 2-22-91 Artesian pressure lb. per square inch. Date

(11) WATER BEARING ZONES: Depth at which water was first found 35'. Table with columns: From, To, Estimated Flow Rate, SWL. Row 1: 140, 157, 100, 41

(12) WELL LOG: Ground elevation. Table with columns: Material, From, To, SWL. Top soil (0-2), Clay brown silty (2-15), Clay blue (15-24), Clay brown (24-35), Cemented gravel (35-47), Clay brown (47-50), Clay blue (50-56), Sand black (56-65), Gravel medium (65-84), Clay blue sticky (84-95), clay grey (95-140), Sand course (140-157), Clay & sand (157-160), Sand fine (160-170), Clay grey (170-177)

Date started 2-19-91 Completed 2-22-91

(unbonded) Water Well Constructor Certification: I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief. WWC Number 1454 Signed Jan M. [Signature] Date

(bonded) Water Well Constructor Certification: I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief. WWC Number 723 Signed [Signature] Date