

## STATE OF OREGON WATER WELL REPORT



65/1E/29aa
00/12/01/00

(START CARD) #\_\_24874

(as required by ORS 537.765)		(START CARD) #		
(1) OWNER: Name Kirkwood Estates	Well Number:	(9) LOCATION OF WELL by legal description:  County Marion Latitude Longitude Longitude  Township 6S Nor S. Range 1E' E or W. WM.  Section 29 NE 4 NE 4		
Address 13318 Dominic Rd. NE		Township 6S Nor S Range 1E'	E or W WM	
City Mt. Angel State	OR Zip 97362	Section 29 NE 1/4 N	E 1/4	
(2) TYPE OF WORK:		Tou I at Plank ?	Cubdivision	
New Well Deepen Recondition Abandon Street Address of Well (or nearest address) 1/4 mile up McKi				
(3) DRILL METHOD		Rd. off of Abiqua on the	right.	
Z Rotary Air Rotary Mud Cable		(10) STATIC WATER LEVEL:		
Other		132 ft. below land surface. Date 4-3-91		
(4) PROPOSED USE:		Artesian pressure lb. per square in		
Domestic Community Industrial Irrigation (11) WATER BEARING ZONES:				
		1 ` '		
(5) BORE HOLE CONSTRUCTION	N: 250	Depth at which water was first found		
Special Construction approval Yes No Depr	th of Completed Wellft.		Estimated Flow Rate SWL	
Yes No U Z  Explosives used Type Type			1 gpm 132	
	_ Amount	190 262 4	14 gpm 132	
HOLE SEAL Diameter From To Material From	Amount m To sacks or pounds			
10"   0   61   Neat Cement (		(10) WITH LOC		
6" 61 262		(12) WELL LOG: Ground elevation		
		Material	From To SWL	
		Top soil	0 1	
How was seal placed: Method	C D D D E	Clay & cobbles large brown	1 51	
Other		Basalt broken grey	51 56	
Backfill placed fromft. toft. Ma		Basalt hard grey	56 90	
Gravel placed fromft. toft. Siz	te of gravel	Claystone green	90 100	
(6) CASING/LINER:		Basalt hard grey	100 182 182 190 WB	
6"   1   61   250   56	Plastic Welded Threaded	Basalt fractured brown Basalt vesicular grey	190 262 WB	
Casing: 6" +1 61 .250		Basait Vesiculai grey	190 ZOZ WB	
Liner: 4 1/2 -1 262 160				
		DESCIN		
Final location of shoe(s)			No. 1	
(7) PERFORATIONS/SCREENS:	}	ADD 1 1 10	soil	
Perforations Method Skills	aw	APRILIS	331	
Screens Type	Material	WATER RESOURCE	ga DEPT.	
Slot	Tele/pipe	GALEM, OREC	301	
From To size Number Diameter 182 262 1/8 X 6 320 4 1/2	size Casing Liner			
		Date started 4-1-91 Complete	ed <u>4-3-91</u>	
		(unbonded) Water Well Constructor Certif	fication:	
(8) WELL TESTS: Minimum testin	g time is 1 hour	I certify that the work I performed on the	he construction, alteration, o	
☐ Pump ☐ Bailer ☐ Air	Flowing Artesian	abandonment of this well is in compliance w standards. Materials used and information repo	oth Oregon well construction	
Yield gal/min Drawdown Drill st	em at Time	knowledge and belief.		
	1 hr.	21/1/	WWC Number 1530	
45 260		Signed Dense Villand	Date	
		(bonded) Water Well Constructor Certifica	ation:	
I accept responsibility for the construction, alteration, or abandonme				
work performed on this well during the construction dates reported above			iction dates reported above, a ompliance with Oregon we	
Did any strata contain water not suitable for intended	work performed during this time is in co- construction standards. This report is true to	the best of my knowledge an		
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Ot		belief.	wwc Number 723	
Depth of strata:		Signed	Date <del>\$/-</del> 9-91	