$\Re$ / $\ell$ 

MECEIVED

/	15/26/29 bc	
#	17628	

(as required by ORS 537.765)	(START CARD) #		
(1) OWNER: Well Number: MAY 17 1981) LOCATION OF WELL by legal description:  Name United Foods Inc			
Name United Foods Inc.  Address 2.55 Cordon Rd. INWEATER RESOURCES TO FRITZ - S Nors Range 2 W E or W. WM.			
City Salem State OR. SALEMBOREGONCTION 29 SW 1/4 NW 1/4			
(2) TYPE OF WORK:	Tax Lot Lot Block Subdivision		
New Well Deepen Recondition Abandon	Tax Lot Lot Block Subdivision Street Address of Well (or nearest address) 255 Cordon Rd.		
(3) DRILL METHOD	Salem ORegon		
☐ Rotary Air ☐ Rotary Mud	(10) STATIC WATER LEVEL:		
Other	14 ft. below land surface. Date 4 /29/91		
(4) PROPOSED USE:	Artesian pressure lb. per square inch. Date		
Domestic Community Industrial Irrigation	(11) WATER BEARING ZONES:		
☐ Thermal ☐ Injection ☐ Other	Depth at which water was first found		
(5) BORE HOLE CONSTRUCTION:	From To Estimated Flow Rate SWL		
pecial Construction approval Yes No Depth of Completed Well 180 ft.	54 140 100 + 14		
Explosives used			
HOLE SEAL Amount			
Diameter From To Material From To sacks or pounds 14 0 33 Cement 0 33 34 +	·		
bentonite (12) WELL LOG: Ground elevation			
	Material From To SWL		
10 33 180	Soil with rock fill 0 1.5		
How was seal placed: Method 🔲 A 🗍 B 🔀 C 🗍 D 🗎 E	Soil 1,5 3		
Other	Brown Sandy clay 3 12		
Backfill placed fromft, toft. Material	Green Sandý clay 12 24		
Gravel placed fromft. toft. Size of gravel	Gray Clay & gravel 31 48		
(6) CASING/LINER:	large gravel with brown clay 48 54		
Casing: 10 7/2 180 250	Gravel + brown & gray clay 54 66 14		
	Brown Clay 66 70		
	Gravel & Clay 70 80		
	loose gravel'à clay 80 82 14		
Liner:	Clay & gravel brown & tight 82 108 14		
	Sand & grave brown clay 108 114 14		
inal location of shoe(s)	Still brown clay 114 130 14		
in the second	Sand Faravel - Fight 130 140 14		
Perforations Method MIII MITE  Screens Type Material	Red clay & gravel 140 155		
Slot Tele/pipe	Clay & decomposed rock 155 160		
From To size Number Diameter size Casing Liner	Weathered rock 160 180		
110 140 3/8/14 708			
110 140 98x14 708 \			
	Date started 3-20-91 Completed 4-29-91		
	(unbonded) Water Well Constructor Certification:		
(8) WELL TESTS: Minimum testing time is 1 hour	I certify that the work I performed on the construction, alteration, or		
Flowing  Pump Bailer	abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best		
Yield gal/min Drawdown Drill stem at Time	knowledge and belief.		
98 17 1 hr.	WWC Number		
	Signed Date		
	(bonded) Water Well Constructor Certification:		
Temperature of water Depth Artesian Flow Found	I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. all		
Was a water analysis done? La Yes By whom	work performed during this time is in compliance with Oregon well		
Did any strata contain water not suitable for intended use? 🔲 Too little	construction standards. This report is true to the best of my knowledge and belief.		
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other	WWC Number		
Depth of strata:	Signed Floyd Seppe Date 4/30/191		