

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED JAN 15 1970

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON (Please type or print) Write above this line

MARI... 7736

State Well No. 5/1W-12

State Permit No.

STATE ENGINEER SALEM, OREGON

(1) OWNER:

Name John Schorabauer Address 1501 94 Hubbard Ave

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [x] Cable [] Dug [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [] Other []

(5) CASING INSTALLED:

18" Diam. from 8 ft. to 12 ft. Gage 250. 18" Diam. from 12 ft. to 14 ft. Gage 375. 6" perforations Perforated? [x] Yes [] No.

(6) PERFORATIONS:

Type of perforator used torch. Size of perforations 3/8 in. by 6 in. 1280 perforations from 8 ft. to 16 ft. 320 perforations from 17 ft. to 19 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 32 ft. below land surface Date 6-6-69 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [x] Yes [] No If yes, by whom? Yield: 440 gal./min. with 28 ft. drawdown after 8 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water 54 Was a chemical analysis made? [] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used concrete Depth of seal to 70' between 8" & 32" ft. Diameter of well bore to bottom of seal 32 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [x] Yes [] No Size of gravel: 3/4-3/8 Gravel placed from 70 ft. to 234 ft.

(11) LOCATION OF WELL:

County Marion Driller's well number 6909 1/4 Section 13 T. 55 R. 1W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing - Depth drilled 234 ft. Depth of completed well 234 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Content: see sheet attached, 6" casing is gravel filled.

Work started 5-12 1969 Completed 6-18 1969 Date well drilling machine moved off of well 6-5 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Edgar J. Mullin Date 6-24, 1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 581

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Milo Schneider Equipment Co. (Person, firm or corporation) (Type or print)

Address Star Dr. Box 97 Sh. Paul, Ore.

[Signed] Milo Schneider (Water Well Contractor)

Contractor's License No. 387 Date 6-24, 1969

1969
Irrigation Well FOR

JOHN SCHWABAUER

Material	From	To
Top soil	0	3
Brown clay	3	6
Brown silty clay	6	17
Brown sand	17	20
Blue clay	20	37
Blade sand dry	37	42
Brown clay	42	52
Brown silty clay	52	58
Coarse brown sand some rock & clay	58	67
Brown clay	67	71
Brown sand	71	76
Brown sand & gravel 1½"	76	78
Brown sand	78	79
Brown gravel & sand	79	86
Brown hard clay	86	94
Blue clay	94	108
Blue sand & wood	108	110
Blue clay	110	115
Blue sand	115	117
Brown sand & gravel	117	126
Brown gravel 4"	126	130
Black gravel 4"	130	148
Blue clay	148	160
Black sand	160	162
Blue clay	162	173
Black sand rocky clay	173	179
Blue clay	179	188
Coarse blade sand	188	193
Blue clay	193	234

RECEIVED
JAN 15 1970
STATE ENGINEER
SALEM, OREGON