NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 Please type or print)	filed with the	
within 30 days from the date	STATE ENGINEER, SALEM, ORKGON 97310 within 30 days from the date	(Please type or print)

State Well No. 3/1W-34	/ State	Well	No.	3/1w-34
------------------------	------------	------	-----	---------

within 30 days from the date of well completion.	pe or print) State Permit No	
(1) OWNER:	(11) WELL TESTS: Drawdown is amount wate lowered below static level	r level is
Name Harald Murrey	Was a pump test made? XYes \(\subseteq \text{No If yes, by whom?} \)	driller
Address Rte 2 Box 143	Yield: 400 gal./min. with 70 ft. drawdown as	fter 8 hrs.
Aurora, Oregon	" "	"
(2) LOCATION OF WELL:	" "	
	Bailer test gal./min. with ft. drawdown	after hrs.
County Marion Driller's well number	Artesian flow g.p.m. Date	
34 34 Section 34 T. 3S R. 1W W.M.	Temperature of water Was a chemical analysis made	? ☐ Yes 🗶 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below casing	
	Depth drilled 134 ft. Depth of completed well	134 ft.
) Depuir drined	d structure, and
	Formation: Describe by color, character, size of material an show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each change	pe of formation.
	MATERIAL FI	ROM TO
(3) TYPE OF WORK (check):	Soil	0 3
New Well ■ Deepening □ Reconditioning □ Abandon □	Sandy brown clay	3 84
andonment, describe material and procedure in Item 12.	Red sand	84 101
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Broken gravel	101 103
Rotary O Driven O	Broken sandy grey clay	103 112
Domestic Tindustrial Municipal Cable	Gravel	112 133
Irrigation	Blue clay	133 134
(6) CASING INSTALLED: Threaded □ Welded ☑		
12." Diam. from 0 ft. to 134 ft. Gage 14"		
(7) PERFORATIONS: Perforated? ☐ Yes 🗖 No		
Type of perforator used		
Size of perforations in. by in.		
perforations from ft. to ft.		
perforations fromft. toft.		
perforations fromft. toft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
(8) SCREENS: Well screen installed? ☐ Yes 🗷 No		
Manufacturer's Name		
1 h. Slot size Set from ft. to ft.	Work started June 20 19 66 Completed June	24 1966
Diam Slot size Set from ft. to ft.	Date well drilling machine moved off of well	26 ¹⁹ 66
(9) CONSTRUCTION:	(13) PUMP:	
Well seal—Material used in seal Puddled Mud	Manufacturer's Name	
Depth of seal	. Type: H.F	>
Diameter of well bore to bottom of seal15½ in.	Water Well Contractor's Certification:	
Were any loose strata cemented off? [] Yes 💆 No Depth		
Was a drive shoe used? ☐ Yes 📆No	This well was drilled under my jurisdiction an true to the best of my knowledge and belief.	d this report i
Was well gravel packed? ☐ Yes 🛽 No Size of gravel:	•	
Gravel placed from ft. to ft.	NAME John Truman Miller	or print)
Did any strata contain unusable water? Yes No	- P O Box 42 Hubbard, Ore	
Type of water? depth of strata	Address 1 0 Dox 42 Haddata, 01	
Method of sealing strata off	Drilling Machine Operator's License No. ,26.	
(10) WATER LEVELS:	1 1 1 1 2 2 10 1	
Static level 56 6 ft. below land surface Date 6/24/66	[Signed] (Water/Well Contractor) 277 June 26	
Artesian pressure lbs. per square inch Date	Contractor's License No. Date Date	19