STATE OF OREGON

Maris

55/1w/5ca

WATER WELL REPORT (as required by ORS 537.765)	O) JAN	-6 1992		36696			
(1) OWNER: WATER RES (9) LOCATION OF WELL by legal description: Name Stefan Tipikin SALEM ORES DEPT							
Address 12133 Carl Rd.	SALEN	LEM, OREGIN Marion Latitude			Longitude		
City Woodburn State OR	Township 5 Nor S, Range 1W E or W, WM.						
(2) TYPE OF WORK:	Section 5 NE 4 SW 4 Tax Lot 400 Lot Block Subdivision						
New Well Deepen Recondition A	Street Address of Well (or nearest address) 11079 Crosby Rd. NE						
(3) DRILL METHOD	Odition		ven (of hearest address)		JSDY IX	7 • 1AT	
Rotary Air Rotary Mud Cable	(10) STATIC WATER LEVEL:						
Other		ft, below land surface. Date12-31-91					
(4) PROPOSED USE:	Artesian pressure lb. per square inch. Date						
Domestic Community Industrial Irriga	tion	(11) WATER BEARING ZONES:					
☐ Thermal ☐ Injection ☐ Other		Depth at which water was first found74					
(5) BORE HOLE CONSTRUCTION:		STRIST ROUND					
Special Construction approval Yes No Depth of Completed Well 213 ft.		From	То	Estimated Fl	ow Rate	31.	
Explosives used Type Amount			116 143		200		
HOLE SEAL	1.0.3				31		
Diameter From To Material From To	Amount sacks or pounds	197	21.2	100_		31	
14 0 25 Cement 0 57	69	(10) WELL TO				1	
10 25 214		(12) WELL LOG: Ground elevation					
			Material	From	To	SWL	
		Soi1		0	1.		
How was seal placed: Method			Clay brown medium		27		
Clayscoile medium brown		27	44				
City grey medium scieky		44	55	<u> </u>			
		Clay sandy grey		55	74		
(6) CASING/LINER: Diameter From To Gauge Steel Plastic		Sand silty		74	84		
Diameter From To Gauge Steel Plastic Casing: 10 +1 121 .250 🕏 🗆	Welded Threaded	Clay grey s		84	1.03		
8 112 122 5		Sand fine m	edium brown &				
8 142 165		Clay grey m		1.1.6 1.43		 	
8 <u> 175 1.95 </u>		Sand grey f		163			
Liner: 8 210 214 🔯 🗆		Cemented gr		1.77		 	
		Clay grey		1.80			
Final location of shoe(s) 214	Sand fine medium			197			
(7) PERFORATIONS/SCREENS:		Sand fine with gravel		1.97	21.2		
Perforations Method		Clay grey		21.2	21.4		
X Screens Type Johnson Material	-S.S						
Slot Tele/pipe							
From To size Number Diameter size 122 142 28 10 tele	Casing Liner				ļ		
165 175 12 10 tele			- Application		-		
190 200 13 10 tele			5.30			-	
200 210 16 10 tele					+		
		Date started 12-1	7_91	leted <u>12–3</u>	1 01		
			Solito		1-91		
(8) WELL TESTS: Minimum testing time is 1	hour	(unbonded) Water V	Vell Constructor Cer work I performed on	tification:	- T.		
Pump Bailer X Air Artesian		abandonment of this	well is in compliance	with Oregon	well cons	tructio	
		standards. Materials u	sed and information re	ported above a	re true to	my bes	
					358		
350 213 1 hr. Signed Purple Date 12-31-91							
		(handa 3 Ar.	10 -				
Temperature of water 52 Depth Artesian Flow Found I accept responsibility for the construction, alteration, or abandonmen							
work performed on this well during the construction dates reported above					hove al		
work performed during this time is in compliance with Organ					on wal		
Did any strata contain water not suitable for intended use? Too little							

RECEIVED

Signed _

12-31-91