

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

WATER WELL REPORT

RECEIVED
AUG 7 - 1972
STATE ENGINEER
SALEM, OREGON

MARI. 1791

551W-17

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

STATE OF OREGON
(Please type or print)
Do not write above this line)
State Well No. _____
State Permit No. _____

(1) OWNER:

Name Burdette Division General Foods
Address Madras, Ore

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
18" Diam. from +4 ft. to 235' 6" ft. Gage 375
* 6" Diam. from +4 ft. to 111' 2" ft. Gage 250

(6) PERFORATIONS:

Type of perforator used torch Perforated? Yes No.
Size of perforations 3/8 in. by _____ in.
1600 perforations from 115' 6" ft. to 215' 6" ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? driller
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
" see sheet attached " _____
" " " " _____
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m.
Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement & Intertek
Well sealed from land surface to _____ ft.
Diameter of well bore to bottom of seal _____ in.
Diameter of well bore below seal _____ in.
Number of sacks of cement used in well seal _____ sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons
of water _____ lbs./100 gals.
Was a drive shoe used? Yes No Plus _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: 3/8 = 3/4
Gravel placed from _____ ft. to 235' ft.

(10) LOCATION OF WELL:

County Marion Driller's well number 7207
1/4 1/4 Section 17 T. 55 R. 1W W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 16 ft.
Static level _____ ft. below land surface. Date _____
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 18"
Depth drilled 313 ft. Depth of completed well 235' 6"
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
<u>see sheet attached</u>			

Work started 5-19 1972 Completed 7-17 1972
Date well drilling machine moved off of well 7-17 1972

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Edgar J. Muller Date 8-4 1972
(Drilling Machine Operator)
Drilling Machine Operator's License No. 581

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Milo Schneider E.Q.P. Co.
(Person, firm or corporation) (Type or print)
Address Stor Rt. Box 197 St. Paul, Ore
97137
[Signed] Milo Schneider
(Water Well Contractor)
Contractor's License No. 387 Date 8-4 1972

Birds Eye Division of General Foods

Material	From	To
Top Soil	0	3
Brown clay	3	16
Gray sand & clay layers	16	41
gray clay	41	61
black sand	61	72
blue crumbly clay	72	78
brown sand	78	87
blue silty clay	87	109
black sand & river gravel 2"	109	129
brown clay	129	131
black fine sand	131	132
black sand & gravel 3"	132	144
blue clay	144	146
black fine sand	146	159
gravel 4"	159	188
blue clay	188	195
black sand & gravel	195	210
blue clay	210	234
sand blue clay	234	240
dark brown clay	240	243
black sand & gravel 3"	243	247
blue clay	247	250
cemented gray sand	250	253
blue clay	253	313

RECEIVED
AUG 7 - 1972
STATE ENGINEER
SALEM, OREGON

Started 8:45 AM.

General Trade Corp.

BY MILJ. SCHNEIDER EQUIPMENT CO.
 STAR ROUTE BOX 97
 ST. PAUL, OREGON TEL. 633-2405

Woodburn Plant

6-23-72

6-23-72 7:00 AM - 6-23-72
 7:00 AM - 6-23-72

RECOVERY TEST

Shut off -	7:08 PM	102" 7"
	7:09	71" 3"
	7:13	82" 7"
	7:18	83" 11"
	7:23	82" 2"
	7:28	80" 8 1/2"
	7:33	79" 6 1/2"
	7:38	78" 1/2"

7:23 PM

6:35 PM

RECEIVED

AUG 7 - 1972

STATE ENGINEER
 SALEM, OREGON

6:45 PM

100 200 400 600 800 1000 1200 1400 1600 1800 2000