

STATE OF OREGON
WATER WELL REPORT
 (as required by ORS 537.765)

MARION
 18061

65/20/18dd
 32715

(START CARD) #

(1) OWNER: Ogden - Martin Systems Well Number _____
 Name Ogden - Martin Systems
 Address 4850 Brooklake Rd.
 City Salem State OR Zip 97305

(2) TYPE OF WORK:
 New Well Deepen Repair - Recondition Abandon

(3) DRILL METHOD:
 Rotary Air Rotary Mud Cable
 Other

(4) PROPOSED USE:
 Domestic Community Industrial Irrigation
 Thermal Injection Other

(5) BORE HOLE CONSTRUCTION:
 Special Construction approval Yes No Depth of Completed Well _____ ft.
 Explosives used Yes No Type _____ Amount _____

HOLE Diameter	From	To	Material	SEAL		Amount sacks or pounds
				From	To	

How was seal placed: Method A B C D E
 Other

Backfill placed from _____ ft. to _____ ft. Material _____
 Gravel placed from _____ ft. to _____ ft. Size of gravel _____

(6) CASING/LINER:

Casing/Liner	Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Liner:	10"	221'5"	231'5"	.260"	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	10"	292'5"	297'5"	.260"	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) _____

(7) PERFORATIONS/SCREENS:

Perforations Method _____
 Screens Type V-SLOT Material 304 STAIN-LESS

From	To	Slot size	Number	Diameter	Tele/pipe size	Casing	Liner
231'5"	241'5"	25		10"	Pipe size	<input type="checkbox"/>	<input type="checkbox"/>
241'5"	292'5"	100		10"	Pipe size	<input type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Pump Bailer Air Flowing Artesian

Yield gal/min	Drawdown	Drill stem at	Time
			1 hr.

Temperature of Water _____ Depth Artesian Flow Found _____
 Was a water analysis done? Yes By whom _____
 Did any strata contain water not suitable for intended use? Too little
 Salty Muddy Odor Colored Other _____
 Depth of strata: _____

(9) LOCATION OF WELL by legal description:
 County MARION Latitude _____ Longitude _____
 Township 6S N or S. Range 2W E or W. WM. _____
 Section 18 SE $\frac{1}{4}$ SE $\frac{1}{4}$
 Tax Lot _____ Lot _____ Block _____ Subdivision _____
 Street Address of Well (or nearest address) 4850 Brooklake Rd. SE, SALEM

(10) STATIC WATER LEVEL:
 _____ ft. below land surface. Date _____
 Artesian pressure _____ lb. per square inch. Date _____

(11) WATER BEARING ZONES:

Depth at which water was first found _____

From	To	Estimated Flow Rate	SWL

(12) WELL LOG:
 Ground elevation _____

Material	From	To	SWL
THE EXISTING WELL SCREEN WAS DULLED OUT OF WELL AND THEN RESET.			
THE TAILPIPE WAS SHORTENED + OPENED PRIOR TO INSTALLATION.			
AFTER SCREEN SET, APPROXIMATELY 12 GALLONS OF CEMENT W/ WATER WAS MIXED + DUMPED TO THE BOTTOM, FORMING A PLUG + MAKING THE FINAL DEPTH 297' FROM GROUND LEVEL.			
THE SURFACE WAS NOT DISTURBED.			
RECEIVED			
AUG 31 1992			
WATER RESOURCES DEPT. SALEM, OREGON			

Date started AUG. 24, 1992 Completed AUG. 29, 1992

(unbonded) Water Well Constructor Certification:
 I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief.
 Signed _____ WWC Number _____
 Date _____

(bonded) Water Well Constructor Certification:
 I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report is true to the best of my knowledge and belief.
 Signed Michael Waldrop/Sipfel WWC Number 2633/1273
 Date Aug 30, '92

*Ogden
North*

A & H Pump Service

6975 N.E. 33rd
Redmond, Oregon 97756

JACK ABBAS — (503) 548-6887

bs/2w/p Page II

Well # 1
RECEIVED

SEP 25 1985

WELL TEST DATA SHEET

WATER RESOURCES DEPT

Tested by _____ Static W/L _____ Date _____

Owners Name _____ Well Location EAST

Drillers Name _____ Diameter of Well _____

Casing Size _____ Bottom of Well _____

Diameter of Bowls _____ Diameter of Column _____

Test Pump Set @ _____ (1) Air Line _____ Ft.

Flow Meter Used (2) Electric Probe _____

Flow Tube Used Orifice Dia. _____ (3) Sonic Sounder _____

SAME

TIME		TO WATER	HEAD	FLOW	ENGINE	REMARKS
Hr	Min	Depth Ft	Inches	G.P.M.	R.P.M.	
5	45	140'	25"	500		
6	00	140' 6"	25"	"		
6	30	141'	"	"		
7	00	141'	"	"		
7	30	141' 6"	"	"		
8	00	141' 5"	"	"		
7	00	141' 6"	"	"		
10	00	141' 8"	"	"		
11	00	141' 10"	"	"		
12	00	142'	"	"		
1	00	142'	"	"		
2	00	142' 2"	"	"		
3	00	142' 8"				
4	00	143'				
5	00	143'				
6	00	143'				
6	30	158'	38"	600		Increased Spool
6	45	161' 7"	"	"		Sample taken #4
7	00	162' 8"	"	"		
7	15	162' 6"	"	"		
7	30	163' 2"	"	"		
7	45	163'	"	"		
8	00	163' 6"	"	"		
8	15	163' 5"	"	"		
8	20	163' 6"				STOPPED
8	22	87'				87' Recovery
8	23	83' 8"				
8	24	80'				
8	26	75'				
8	31	70'				
8	46	65'				
9	19	60'				
10	25	56'				

RECEIVED

A & H Pump Service

6975 N.E. 33rd
Redmond, Oregon 97756

2 60/2W-1800
Well

SEP 25 1985

Page # 1

WATER RESOURCES DEPT
SALEM, OREGON

JACK ABBAS — (503) 548-6887

WELL TEST DATA SHEET

Tested by J. Abbas Static W/L 50 Date 9/12/85
 Owners Name SOLID WASTE FACILITY Well Location BUCKS, 2nd
 Drillers Name Staco - Steve Stadel Diameter of Well 12"
 Casing Size 12 Bottom of Well ?
 Diameter of Bowls 12" Diameter of Column 8"
 Test Pump Set @ 200' (1) Air Line _____ Ft.
 Flow Meter Used (2) Electric Probe
 Flow Tube Used (3) Sonic Sounder _____
 Orifice Dia. 5"

Observation Well

TIME		TOWATER	HEAD	FLOW	ENGINE	REMARKS
Hr	Min	Depth Ft	Inches	G.P.M	R.P.M.	
2	25	50'	9"	300	#1 Well	STARTED PUMPING
2	33	75'	9"	"	51'	
2	37	77'	"	"	52'	
2	40	77' 8"	"	"	52' 4"	SAMPLE TAKEN #1
2	50	78' 6"	"	"	54' 4"	
3	05	81' 1"	"	"	55' 10"	
3	30	82'	"	"	56' 7"	
4	00	83' 5"	"	"	58' 6"	
4	30	85' 9"	"	"	57' 9"	
5	00	83' 4"	"	"	57' 8"	
5	30	83' 4"	"	"	57' 8"	
6	00	83' 4"	"	"	57' 8"	
6	30	83' 4"	"	"	57' 8"	
7	00	83' 4"	"	"	57' 8"	
7	30	93' 2"	16"	400	57' 8"	Increased Speed
8	00	96' 3"	"	"	60' 6"	
8	30	97'	"	"	61' 1"	SAMPLE TAKEN #2
9	00	97' 8"	"	"	61' 4"	
9	30	98' 3"	"	"	61' 7"	
10	00	98' 4"	"	"	61' 7"	
10	30	99'	"	"	61' 7"	
11	00	99' 4"	"	"	61' 9"	
11	30	99'	"	"	62'	
12	00	98' 6"	"	"	62'	
12	30	98' 6"	"	"	62'	
1	00	98' 6"	"	"	62' 3"	
1	30	109'	25.5"	500	62' 3"	Increased Speed
2	00	110' 9"	"	"	63' 8"	
2	30	111' 6"	"	"	64' 4"	SAMPLE TAKEN #3
3	00	111' 7"	"	"	64' 3"	
3	30	111' 6"	"	"	64' 6"	
4	00	112' 6"	"	"	65' 3"	
4	30	112' 9"	"	"	65' 4"	
5	00	113'	"	"	65' 5"	
5	30	113' 5"	"	"	65' 5"	
6	00	113' 6"	"	"	65' 5"	
6	30	113' 8"	"	"	65' 5"	