NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this part C E V VATER WELL REPORT

are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 MAY 15 1979

STATE OF OREGON (Please type or print)

MARI. State Well No. 55/1W-26 Cd State Permit No.

within 30 days from the date of well completion WATER RESOURCES DES Trite above this line)

(1) OWNER: SALEM, OREGON	(10) LOCATION OF WELL:	4	
Name Ed Annen - AAA Farms	County Marion Driller's well number		
Address 13965 Monitor McKee Rd. NE	CT 1 CM 1 CM 2 CM 7 TM		
Monitor, Oregon 97071	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner		
New Well 🖔 Deepening 🗌 Reconditioning 🗌 Abandon 🖂			
If abandonment, describe material and procedure in Item 12.	(11) WATED LEVEL County 1		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well. Depth at which water was first found 50		
Rotary X Driven D Percentia D Industrial D Training			
Dug II Poned II	Tt. below land s	urface. Date 3	<u>/20/79</u>
	Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: 8 "Diam. from #1 ft. to 244 ft. Gage .250	(12) WELL LOG: Diameter of well below easing		
	Don'th dulled 2/1/1 " " Olyl		
" Diam, fromft. toft. Gage	The state of the s		
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,		
PERFORATIONS: Perforated? W Ves. C No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-hearing strata.		
PERFORATIONS: Perforated? Yes No. Type of perforator usedMills Knife		cipal water-beari	ng strata.
2/0	MATERIAL	From To	SWL
	. Top Soil	0 2	
periorations months to the to and the to	Clay Brown	2 21	
periorations nom	Clay Grey	21 32	
ft. to	Pea Gravel	32 36	
(7) SCREENS:	Conglomerate Med. Grey	36 51	
Manufacturer's Name	Conglomerate Crse Loose		
Type Model No.	Grey	5] 79	
Diam. Slot size Set from ft. to ft.	Clay Grey	79 172	
Diam	Sand Course Grey	172 181	
Slot size Set from ft. to ft.	_Clay Grey	181 199	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Sand Course Grey	199 207	
The state of the s	Clay Grey	207 216	
Was a pump test made? Yes No If yes, by whom?	Sand Black Course	216 229	
Yield: gal./min. with ft. drawdown after hrs.	Clay Sticky Grey	229 244	
# H	- Tolk 12 47 - 1997 1 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4		
ATR			
Baffer test 300 gal,/min. with 213tt. drawdown after 4 hrs.			
Artesian flow g.p.m.			
erature of water Depth artesian flow encounteredft_	- /- 1	2/20	70
(0) CONCERNICENCY			1979
(9) CONSTRUCTION:	Date well drilling machine moved off of well	3/20	1979
Well seal—Material used Cement	Drilling Machine Operator's Certification:		
Well sealed from land surface to 24 ft.	This well was constructed under my	lirect superv	vision.
Diameter of well bore to bottom of seal in.	Materials used and information reported a best knowledge and belief	bove are true	to my
Diameter of well bore below seal in.	[Signed] Meser / Made (1)	ate 4/16	10 70
Number of sacks of cement used in well seal 17 sacks	(Drilling Machine Operator)		19.1.2
How was cement grout placed? Pressure	Drilling Machine Operator's License No	860	
	Water Wall Contractor's Contractor		 .
	Water Well Contractor's Certification:		***
YVan Alder I was a second and a second a second and a second a second and a second	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? X Yes No Plugs Size: location ft.	Name West Coast Drilling Co., Inc.		
Did any strata contain unusable water? 口. Ye 內 No	(Person, firm or corporation) (Type or print)		
Type of water? depth of trata	Address 220 Academy St., Mt.	Angel, 0	
Method of sealing strata off	(Sigmod) Add for	11/2/-	acces office to
Was well gravel packed? ☐ Yes X No Size of gravel:	[Signed] (Water Well Contract	MACRAL	
Gravel placed from ft. to ft.		•/16	7O
(USE ADDITIONAL SHI		<u> </u>	19.(.2
The second secon	EDIO IF NECESSARY)	SP*	45658-119