STATE ENGINEER, SALEM, OF STATE OF OREGON within 30 days from the date SALEM. OREGON of well completion.

NC

NOTICE TO WATER WELL CONTRACTORS

The original and first copy of this report are to be JUN 26 1968 STATE OF OREGONN State

Well No. 5/1w-26 2

State Permit No. ....

(1) OWNER:	(11) LOCATION OF WELL:		
Name Dave Scharer	County Marion Driller's well number		
Address Route 10792 Saratogn Dr. N. E. Salem	14 14 Section T. R. W.M.		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner		
	approx.1300 ft.north & 200 ft.east of		
New Well	S.W. corner of section 26, T.5 S., R.1 W.		
		·	
Rotary Al Driven	(12) WELL LOG: Diameter of well below casing		
Cable	Depth drilled 215 ft. Depth of completed well 215		
	Formation: Describe color, texture, grain size		
CASING INSTALLED: Threaded   Welded	and show thickness and nature of each stratum and aquifer penetrated,		
8 "Diam. from 0 ft. to 215 ft. Gage 250	in position of Static Water Level as drilling pro	ation. Repoi ceeds. Note	rt each change drilling rates.
18	MATERIAL —	From	To SWL
" Diam. from ft. to ft. Gage	Top soil. brn		7 544
PERFORATIONS: Perforated? M Ves C No.	Clay brn.	_0 _	<u> </u>
Type of perforator used Torch & Mill	Sand fine brn.		24
· • • • • • • • • • • • • • • • • • • •	Clay brn.		30   36
	Sand med brn.		46
torch perforations from I/8-112-6	Med conglom brn.		67
240 perforations from I35 ft. to 2I5 ft.	Loose gravel & sand. w.b.		73
mil 1785 perforations KWXXSiZe-3/16 x2* 7	Clay brn.		75
DCITOTACIONS EPONE TO THE PLANT PLAN	Clay sandy grey.		34
960 perforations from 135 ft. to 215 ft.	Sand med grey, W.B.		39
(7) SCREENS: Well screen installed? ☐ Yes ☑ No	Conglom fine grey. W.B.		109
Manufacturer's Name	Clay sandy grev.	I09 I/	
Type Model No.	Sandy clay grey with		
Diam. Slot size Set from ft. to ft.	mixed pea gravel.	I40 ]	155
Diam. Slot size Set from ft. to ft.	Clay sandy grey .	I55 8	215
(8) WATER LEVEL: Completed well.			
It. Delow and surface Date			
Artesian pressure lbs. per square inch Date			
(9) WELL TESTS: Drawdown is amount water level is lowered below static level			<u> </u>
Was a pump test made? Was Die If yes by whom?			
250 gal./min. with / 50 ft. drawdown after 4 hrs.	Work started 5/21 1968 Complete	15/	30 10/2 X
	Date well drilling machine moved off of well	7	7 180
		9//	19 6
	Drilling Machine Operator's Certification:		
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my dir rials used and information reported above	ect supervi	sion. Mate-
Artesian flow g.p.m. Date	knowledge and belief.	. uic mue	to my best
Temperature of water 🗶 Was a chemical analysis made? 🗆 Yes 🏗 No	[Signed] - E. Mall	pate 6/2	12 10 68
(10) CONSTRUCTION:	(Drilling Machine Operator)	(* )	
Well seal-Material used gement	Drilling Machine Operator's License No	07	
Depth of seal 19 ft.	Water Well Contractor's Certification:		
Diameter of well bore to bottom of sealin.	This well was drilled under my jurisdiction and this report is		
Were any loose strata cemented off? The No Depth	true to the pest of my knowledge and belief		
Was a drive shoe used? ☐ Yes 🍒 No	NAME (1. ) / AUEZ / XSONS		
Did any strata contain unusable water Ves No	(Person, firm or corporation)	Type or p	POTIN
Type of water? dept of strata	Address DOX 169	1/4/	11/10/V
Method of sealing strata off	10 1 ( ) St	1.1.	
Was well gravel packed? A Yes No Size of gravel:	[Signed] Jan Madella (Water Well Contractor)		
Gravel placed from 0 ft. to 1/5 ft.	201 /	122	45
Gravel placed from (USE ADDITIONAL SHI	Date	11	19.00