State Well No. .

5/1W-27

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the
STATE ENGINEER, SALEM 10, OREGON ATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

SALEM, OREGON

of well completion.	ALEM, ORIGON	State Permit No.	
(1) OWNER:		(11) WELL TESTS: Drawdown is amount water level lowered below static level Was a pump test made? M Yes No If yes, by whom? dri	is ller
Name Roy Dempsey	Oregon		_
Address Rte 2 Woodburn,	Oregon	Yield: 45 gal./min. with 56 ft. drawdown after	1 hrs.
		39 99 39	
(2) LOCATION OF WELL:		Bailer test gal./min. with ft. drawdown after	hrs.
County Marion Driller's wel		Artesian flow g.p.m. Date	
1/4 1/4 Section 27 T.	5S R. $1W$ W.M.	Temperature of water Was a chemical analysis made? [] Y	es 171 No
Bearing and distance from section or subdivis	ion corner		
		(12) WELL LOG: Diameter of well below casing	
		Depth drilled 10 ft. Depth of completed well	108 ft.
	*** *** *** *** *** *** *** *** *** **	Formation: Describe by color, character, size of material and structure show thickness of aquifers and the kind and nature of the material stratum penetrated, with at least one entry for each change of f	ture, and al in each ormation.
		MATERIAL FROM	TO
(3) TYPE OF WORK (check):		Broken sand and gravel 98	108
	ditioning 🗌 Abandon 📙		
pandonment, describe material and proced	lure in Item 12.		
(4) PROPOSED TISE (alcoh).	(5) TYPE OF WELL:		
(4) PROPOSED USE (check):	Rotary Driven		
Domestic L Industrial Municipal	Cable 🖺 Jetted		
Irrigation E Test Well Other	Dug 🗌 Bored 🗎		<u></u>
	readed [] Welded [X]		
5" Diam. from 98 ft. to			
" Diam. from ft. to			
" Diam. from ft, to	ft. Gage		
(7) PERFORATIONS: Per	rforated? 🗷 Yes 🗌 No		ļ
Type of perforator used Millknife			
Size of perforations 1/4 in. by	l in.		
47 perforations from	5 ft. to		
12 perforations from 102	2 ft. to		
perforations from			
perforations from			<u> </u>
perforations from	ft. to ft.		
(8) SCREENS: Well screen in	estalled 🗆 Yes ื No		<u> </u>
Manufacturer's Name	stance G res D No		
	odel No.	•	
Slot size Set from		Work started May 16 1952. Completed June 6	19 62
Diam. Slot size Set from			19 62
(9) CONSTRUCTION:		(13) PUMP:	
Well seal—Material used in seal	Personal contract of the second of the secon	Manufacturer's Name Fairbanks Morse	
Depth of sealft. Was a packer used?		Type: Turbine H.P. 5	
Diameter of well bore to bottom of seal in.			
Were any loose strata cemented off? Yes		Water Well Contractor's Certification:	
Was a drive shoe used? ☐ Yes ☐ No		This well was drilled under my jurisdiction and this	report is
Was well gravel packed? Yes No Size		true to the best of my knowledge and belief.	
Gravel placed from ftto ft		NAME John Truman Miller	
Did any strata contain unusable water?	res 🗆 No	(Person, firm or corporation) (Type or prin	1t)
Type of water? Depth of strata		Address P O Box 42 Hubbard, Oregon	
Method of sealing strata off		Drilling Machine Operator's License No. 277	
(10) WATER LEVELS:	(1/1/2)	[Signed]	
Static level 37 ft. below land	surface Date 6/6/62	(Water Well Contractor)	
Artesian pressure lbs. per squ	uare inch Date	Contractor's License No. 277 Date June 6	1962

(USE ADDITIONAL SHEETS IF NECESSARY)