## WATER WELL REPORT STATE OF OREGON

JUN211984

PLEASE TYPE or PRENT IN INC. State Permit No.

SALEM. OXEGON

1) OWNER:	(10) LOCATION OF WELL:	
lame Clarence Schlechter	County Marion Driller's well number 38	
address /2 /80 Miller Rd. N.E.	5W 4NE 4 Section 31 T.55 R. 1W W.	<u>M.</u>
State OR,	Tax Lot # Lot Blk Subdivision	
2) TYPE OF WORK (check):	Address at well location:	_
lew Well		_
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found Static level / 2 ft. below land surface. Date 5///	<u>ft.</u> 4
totary Air	Static level ft. below land surface. Date 5/// Artesian pressure lbs. per square inch. Date	_/8
totary Mud	(12) WELL LOG: Diameter of well below casing	_
	Depth drilled 124 ft. Depth of completed well 124	ft.
S. "Diam from ft. to ft. Gauge Plastic Welded Welde	Formation: Describe color, texture, grain size and structure of materials; and she thickness and nature of each stratum and aquifer penetrated, with at least one ent for each change of formation. Report each change in position of Static Water Leand indicate principal water-bearing strata.	ow try
LINER INSTALLED:	MATERIAL From To SWL	
	TOP Soil 0 1	_
6) PERFORATIONS: Perforated? X Yes \( \sigma \) No	clay Brown 1 43	_
Type of perforator used, Mills Knife	Sand, Silt Brown 43 57	
Size of perforations in. by 2 in.	Clay Blue 57 82	
2 4 3 T perforations from 9.7 ft. to 125 ft.	Sand Black 82 88	
perforations from ft. to ft.	Orave/ 88 /24	
perforations from ft. to ft.		
7) SCREENS: Well screen installed?   Yes XNo		_ `
Manufacturer's Name		
Type Model No		
Diam, Slot Size Set from ft. to ft. to ft.		
Diam. Slot Size Set from ft. to ft.  Drawdown is amount water level is lowered		
(8) WELL TESTS: below static level		
Was a pump test made? NYes \( \subseteq \text{No. If yes, by whom? } \( \mathcal{Dr_j} \) // \( \subseteq \text{T.} \)		
d: 300 gal/min. with 40ft. drawdown after hrs.		_
" " " " " " " " " " " " " " " " " " "		
Air test gal./min. with drill stem at ft. hrs.		_
Bailer test gal./min. with ft. drawdown after hrs.  Artesian flow g.p.m.		_
perature of water Depth artesian flow encountered ft.	11 / 2 20	<u>~</u>
	Work started 4/28 1984 Completed 5/// 19	54
(9) CONSTRUCTION: Special standards: Yes \( \text{No to } \) Well seal—Material used \( \text{\$\text{\$\lambda\$} \$\text{\$\ext{\$\text{\$\text{\$\text{\$\text{\$\text{\$\text{\$\ext{\$\text{\$\text{\$\text{\$\ext{\$\text{\$\text{\$\ext{\$\ext{\$\text{\$\ext{\$\ext{\$\ext{\$\text{\$\ext{\$\exitt{\$\exitt{\$\ext{\$\ext{\$\ext{\$\ext{\$\ext{\$\ext{\$\ext{\$\ext{\$\exitt{\$\exitt{\$\ext{\$\ext{\$\exitt{\$\exitt{\$\ext{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\exitt{\$\e	Date well drilling machine moved off of well 5 / 19	34
Well sealed from land surface toft	(unbonded) Water Well Constructor Certification (if applicable):	
Diameter of well bore to bottom of seal	This well was constructed under my direct supervision. Materials us and information reported above are true to my best knowledge and belie	₃ed ≥f.
Diameter of well bore below sealin.	[Signed]	
Number of sacks of cement used in well seal sacks	Bonded Water Well Constructor Certification:	
How was cement grout placed? The mile for first	Bond 17-76-5318-3 Issued by: Stole Form IS CO	
E CAN CAN ALL THE COLUMN TO A CAN ALL THE COLUMN TO A CAN ALL THE	This well was drilled under my jurisdiction and this report is true	to
Was pump installed? Teckial Type 5 HP Depth / 10 ft.	the best of my knowledge and belief.	w
Was a drive shoe used? Yes \( \subseteq No \) Plugs Size: location ft.	Name Or OSS en's Well Orlling (Person, firm or corporation) (Type or print)	***
Did any strata contain unusable water? Yes No	Address 19927 mill CK Rd. Scatts mill	15
Type of Water? depth of strata	[Signed] Dvan Grossen	
Method of sealing strata off	Water Well Constructor	#### ·
Was well gravel packed? ☐ Yes X No Size of gravel:	Date6	4
Gravel placed fromft. toft.		