

NOTICE TO WATER WELL REPORT
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT
SALEM, OREGON 97310
within 30 days from the date
of well completion.

RECEIVED WATER WELL REPORT STATE OF OREGON

JUN - 9 1977
(Please type or print)
(Do not write above this line)

2155
171....

State Well No. 55/1w-33dd
State Permit No. _____

card in WATER RESOURCES DEPT.

(1) OWNER: SALEM, OREGON
Name FNASTAS SHARABORIN
Address Rt 1 Box 189 Mt Angel Ore.

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):
Rotary Driven Domestic Industrial Municipal
Cable Jetted Irrigation Test Well Other
Dug Bored

CASING INSTALLED: Threaded Welded
8" Diam. from 0 ft. to 183 ft. Gage 250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS: Perforated? Yes No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS: Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No. If yes, by whom? Driller
Yield: 180 gal./min. with 92 ft. drawdown after 4 hrs.
" " " " " "
" " " " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:
Well seal—Material used Cement
Well sealed from land surface to HO ft.
Diameter of well bore to bottom of seal 8 1/2 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 11 sacks
How was cement grout placed? Mixed to a Thick Cream and applied from the top
Was a drive shoe used? Yes No Plug Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:
County Marion Driller's well number
SE 1/4 SE 1/4 Section 33 T. 58 R. 1W W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.
Depth at which water was first found 170 ft.
Static level 98 ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing
Depth drilled ft. Depth of completed well ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Surface	0	2	
Brown Clay	2	21	
Blue Clay	21	41	
Redish Brown & Cement like	41	48	
Blue Clay	48	91	
Brown Clay	91	134	
Dark Red Clay	134	156	
Conglomerate	156	167	
Sand - Gray	167	169	38
Basalt Rock - Gray	169	250	
Black Basalt	250	298	
Lava & Burnt over Burden	298	319	38
Black Basalt	319	320	

Work started 4-12 1977 Completed 6-8 1977
Date well drilling machine moved off of well 6-8 1977

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] John W Beck Date 6-7, 1977
(Drilling Machine Operator)
Drilling Machine Operator's License No. 437

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name JW Beck Well Drilling
(Person, firm or corporation) (Type or print)
Address 2437 S. Skyline Dr Conity Ore.
[Signed] John W Beck
(Water Well Contractor)
Contractor's License No. 449 Date 6-7, 1977