NOTICE TO WATER WELL CONTRACTOR The original and first copy

of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date

WATER WELL REPORTECEIVED

DEC7

Please type or print)

1973 State Well No. 55 1 W-35 STATE ENGINEERete Permit No.

of well completion.	SALEM, OREGON			
	(10) LOCATION OF WELL:			
(1) OWNER:				
Name Franz Greve	County Marion Driller's well nu N.E 14 N.E 14 Section 35 T5.S.	R1.W.		
AddressRt1 Box 74 F.Mt Angel. Oreg.	N.E 4N.E 4 Section 35 T5.S.	RA en e		W.M.
(A) MAYING OF MADE (I. I.).	Bearing and distance from section or subdivision	n corner		
(2) TYPE OF WORK (check):				
New Well 💆 Deepening 🗌 Reconditioning 🗍 Abandon 🗍				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	eII.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 26 ft			
Rotary K Driven Domestic Industrial Municipal	Static level 17 ft. below land surface. Date 10/30/73			
Cable	Artesian pressure lbs. per square inch. Date			
Trans. camean				
CASING INSTALLED: Less screen Threaded Welded M	(12) WELL LOG: Diameter of well below casing none			
12 " Diam. from 0 ft. to 250 ft. Gage • 250	Depth drilled 250 ft. Depth of comple	eted well	250	ft
"Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size a			naterials
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated			
DEDEOD AUTONS	with at least one entry for each change of format position of Static Water Level and indicate princ	10n. Kepo cipal wate	rt each c er-bearin	nange ir. Ig strata
PERFORATIONS: Perforated? ★ Yes □ No.				
Type of perforator used Factory preperferated	MATERIAL	From	To	SWL
Size of perforations $3/16$ in. by $2\frac{1}{2}$ in.	Top soil brn.	3	3 14	
3212 perforations from 100 ft. to 250 ft.	Clay brn.	14	26	
ft. to ft.	Clay soft grey	26	38	
perforations from	Cobble stones grey Med Conglomerate grey	38	56	
(7) SCREENS: Well screen installed? X Yes I No	Clay dark grey	56	75	V-1
(7) SCREENS: Well screen installed? X☐ Yes ☐ No Manufacturer's Name Johnson	Sandstone blue soft	75	78	
Manufacturers Name Type Irrigater Model No. 100	Clay grey& blue	78	151	
Diam. 12 Slot size 100 Set from 150 ft. to 155 ft.	Course sand blk. W.B.	151	154	
Diam. Slot size	Marine sediments& wood W.B.	154	174	
<u>, Walter of the Control of the Cont</u>	Med gravel to ½" W.b.	174	176	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level.	Marine sediments& wood W.B.	176	224	
Was a pump test made? ✓ Yes No If yes, by whom?	Course sand & fine gravel.W.I		225	
Yield: 200 gal./min. with 175 ft. drawdown after 5 hrs.	Clay blue & grey soft	225	250	
· ·				
" " " " " " " " " " " " " " " " " " "				
Bailer test gal./min. with ft. drawdown after hrs.				
Artesian flow g.p.m.		<u> </u>		<u> </u>
nperature of water Depth artesian flow encountered ft.	Work started 10/12/73 19 Complete	ed 10/	30/73	19
(A) CONSTRUCTION.	Date well drilling machine moved off of well	.1/2/7	3	19
(9) CONSTRUCTION: Cement	Drilling Machine Operator's Certification:			
Well seal-Material used 18	This well was constructed under my	direct	super	vision
Well sealed from land surface to 30	Materials used and information reported best knowledge and belief.	above a	are true	to m
Diameter of well bore to bottom of seal	best knowledge and benefit.	Date 11	/5/73	40
Diameter of well bore below seal in well seal 2 yds. sacks	(Drilling Machine Operator)		٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠٠	., 19
Number of sacks of cement used in well seal sacks Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.	/38		••••
1				
Brand name of bentonite	Water Well Contractor's Certification:			
the /100 gale	This well was drilled under my jurisdiction and this report is			
of water	true to the best of my knowledge and belief. Stadeli Drilling Co.			
Did any strata contain unusable water \(\subseteq \) Yes \(\frac{\mathbb{N}}{\mathbb{N}} \) No	(Person, firm or corporation)	(ምህ	pe or pri	nt)
4 th Of strate	Address Silverton, Oreg	,	_ UL pil	,
Type of water.	CEXAM		•••••••	************
Method of sealing strata off	[Signed] / / / / / / / / / / / / / / / / / / /	K.		
Was well gravel packed? X Yes No Size of gravel:	(Water Well Contr	1/5/73		
Gravel placed from 18 0 # to 250 ft.	Contractor's License No. 227 Date	-121()		19