

TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT STATE OF OREGON (Please type or print) (Do not write above this line) STATE ENGINEER SALEM OREGON

MAR 12 1967

State Well No. 5/2w-1 State Permit No.

(1) OWNER:

Name Paul Kurt Address Rte 1 Woodburn, Oregon

(11) LOCATION OF WELL:

County Marian Driller's well number 1/4 Section 1 T. 5S R. 2W W.M. Bearing and distance from section or subdivision corner

(2) TYPE OF WORK (check):

New Well [x] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [x] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

6" Diam. from 0 ft. to 134 ft. Gage 1/4" Threaded [] Welded [x]

PERFORATIONS:

Perforated? [x] Yes [] No. Type of perforator used Millknife Size of perforations 1/4 in. by 2 1/2 in. 32 perforations from 126 ft. to 128 ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 31 ft. below land surface Date 7/7/67 Man pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [] No If yes, by whom? driller Well: 35 gal./min. with 24 ft. drawdown after 4 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Puddled Mud Depth of seal 20 ft. Diameter of well bore to bottom of seal 10 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [] Yes [x] No Type of water depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(12) WELL LOG:

Diameter of well below casing Depth drilled 134 ft. Depth of completed well 134 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows: Surface (0-3), Brown sandy clay (3-28), Blue sandy clay (28-95), Black sand (95-114), Broken sand and gravel (114-131), Blue clay (131-134).

Work started July 3 1967 Completed July 7 1967 Date well drilling machine moved off of well July 7 1967

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] John T. Miller (Drilling Machine Operator) Date July 12, 1967

Drilling Machine Operator's License No. 26

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME John Truman Miller (Person, firm or corporation) (Type or print)

Address P O Box 42 Hubbard, Oregon

[Signed] John T. Miller (Water Well Contractor)

Contractor's License No. 277 Date July 12, 1967