TER WELL REPORTS AND 2205

State Permit No. ..

5/2w-1

The original and first of this report are to be state ENGINEER, SALEM 10, OBEGON within 30 days from the of well completion.

TER WELL REPORTATE OF OREGON (Please type or print)

State Well No. ...

or wen completion.	(11) WELL TESTS: Drawdown is amount w lowered below static lev	ater level is
(1) OWNER:	Was a pump test made? Tyes \( \subseteq \) No If yes, by whom	3 GLITIEL
Name Skylane Farms	Yield: 100 gal./min. with 95 ft. drawdown	after O hrs.
Address Woodburn, Oregon	n n n n	"
3	"	n after hrs.
(2) LOCATION OF WELL:	Bailer test gal./min. with ft. drawdow	n aiter ms.
County Marian Driller's well number  1/ Section 1 T. 58 R. 2W W.M.	At testair 11011	nade? 🗆 Yes 🛣 No
Hearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis in	
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below of	esing
The second of th	Depth drilled 130 ft. Depth of completed w	$_{ m ell}$ 130 $_{ m ft}$
The second secon	Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each c	l and structure, and the material in each hange of formation
THE PROPERTY AND ADDRESS OF THE PARTY AND ADDR	MATERIAL	FROM TO
	100 - 100 -	0 3
(3) TYPE OF WORK (check):	Surface Brown sandy clay	3 28
w Well  Deepening  Reconditioning  Abandon □	Blue sandy clay	28 99
pandonment, describe material and procedure in Item 12.	Broken sand & gravel	99 130
(4) PROPOSED USE (check): (5) TYPE OF WELL:	DLOKEH Same & States	
The state of the s		Ser .
Domestic   Industrial   Municipal   Cable   Jetted   Dug   Bored	The second secon	
Irrigation	The state of the s	
(6) CASING INSTALLED: Threaded Welded	The state of the s	
O 120th Garde 14		7
" Diam, from it to ft. Gage		
" Diam. fromft. toft. Gage		
" Diam. fromft. toft. Gage	The second secon	
(7) PERFORATIONS: Perforated?  Yes No		
Type of perforator used	The second secon	
to her		
perforations fromft. toft.		
perforations from ft. to it.	Y 25 (74)	•
perforations fromft. toft	The state of the s	
perforations fromft. toft		
perforations from ft. to ft		
(8) SCREENS: Well screen installed ☐ Yes ☐ No		
Manufacturer's Name		
Model No.	Work started June 1 1963. Completed	June 6 196
Diam. Slot size Set from ft. to ff	Date well drilling machine moved off of well	June 7 196
Diam. Slot size Set from ft. to ft.		
(9) CONSTRUCTION:	(13) PUMP:	
Well seal—Material used in seal Bentonite Mud	Manufacturer's Name	
Well seal—Material used in seal	Type:	н.Р.
Diameter of well bore to bottom of seal	Water Well Contractor's Certification:	
Were any loose strata cemented off Tyes No Depth	This well was drilled under my jurisdictio true to the best of my knowledge and belief.	n and this report
Was a drive shoe used? ☐ Yes ⚠ No Size of gravel:	true to the best of my knowledge and bester	
	NAME John Truman Miller	
Gravel placed from	NAME John Truman Miller (Person, firm or corporation)	(Type or print)
Did any strata contain unusable water? Yes No	Address P O Box 42 Hubbard,	Uregon
Type of water?	To the second se	. 277
Method of sealing strata off	Drilling Machine Operator's License No	r Film
(10) WATER LEVELS:	[Signed] Lam Ne Mill	
ft blow land surface Date 6/6/63	(Water Well Contract	
State Actual Date	Contractor's License No Date J.	uly 1, 19.
Artesian pressure	SHEETS IF NECESSARY)	Annual Property of the Parket