

RECEIVED

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER WELL REPORT

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

2245
MAR 15 1982

STATE OF OREGON SEP 2 1982 State Well No. 512w-2dd

(Please type or print)
WATER RESOURCES DEPARTMENT State Permit No. 17

(Do not write above this line)
SALEM, OREGON

(1) OWNER:

Name RON FRANKIE
Address 1600 VAN LICE COURT
WOODBAR, ORE.

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
6" Diam. from 0 ft. to 126 ft. Gage 280
" Diam. from " ft. to " ft. Gage
" Diam. from " ft. to " ft. Gage

PERFORATIONS:

Perforated? Yes No.
Type of perforator used _____
Size of perforations in. by in.
perforations from " ft. to " ft.
perforations from " ft. to " ft.
perforations from " ft. to " ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. Slot size Set from " ft. to " ft.
Diam. Slot size Set from " ft. to " ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No. If yes, by whom?
Yield: 4.5 gal./min. with 70 ft. drawdown after 2 hrs.
" " " " " "
" " " " " "
Baller test gal./min. with " ft. drawdown after " hrs.
Artesian flow g.p.m.
Temperature of water 52 Depth artesian flow encountered " ft.

(9) CONSTRUCTION:

Well seal—Material used Portland Cement
Well sealed from land surface to 18 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 12 sacks
How was cement grout placed? grout pumped
From bottom up
Was a drive shoe used? Yes No. Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ Depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No. Size of gravel: _____
Gravel placed from " ft. to " ft.

(10) LOCATION OF WELL:

County Marion Driller's well number _____
SE 1/4 SE 1/4 Section 2 T. 55 R. 2W W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 120 ft.
Static level 50 ft. below land surface. Date _____
Artesian pressure lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 130 ft. Depth of completed well 126 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
TOP SOIL	0	10	
BROWN CLAY	10	30	
BLUE CLAY	30	75	
COARSE BLACK SAND	75	102	
Blue clay	102	118	
HARD DARK BLUE CLAY	118	120	
Med GRAVEL	120	128	50
Lg GRAVEL	128	130	

Work started 8-25 19 82 Completed 8-27 19 82
Date well drilling machine moved off of well 8-27 19 82

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] E W Sluce Date 8-31, 19 82
(Drilling Machine Operator)
Drilling Machine Operator's License No. 1456

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name AMERICAN DRILLING
(Person, firm or corporation) (Type or print)
Address PO Box 113, Hubbard ORE.
[Signed] E W Sluce
(Water Well Contractor)
Contractor's License No. 779 Date 8-31, 19 82