MARI 2285

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

STATE ENGINEEWATER WELL REPORT SALEM, OREGON STATE OF OREGON

•	5/	a C
State Well No.	1/2W	-26

SALEM, OREGON SALEM,	OREGON STATE OF	State Permit No.			
(1) OWNER: Name Harold Eskelson		(11) WELL TESTS: Drawdown is amount lowered below static l	evel		
Address Woodburn, Oregon		Was a pump test made? A Yes No If yes, by who		1.	
		Yield: 75 gal./min. with 85 ft. drawdo	wn after	4 hrs	
		n n n			
(2) LOCATION OF WELL:					
County Marion Owner's no	umber, if any—		vn after	hrs	
<u>¼</u> ¼ Section 2 T	: 5S R. 2W W.M.	Artesian flow g.p.m. Date Temperature of water Was a chemical analysis n	oade? D V	es KN	
Bearing and distance from section or subdivis	sion corner	Tomperature of water was a themical analysis in		<u> </u>	
		(12) WELL LOG: Diameter of well	6	inches	
-		Depth drilled 122 ft. Depth of completed to	well	122 f t	
		Formation: Describe by color, character, size of mater show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each	the materi	lal in each	
<u> </u>		MATERIAL	FROM	TO	
(3) TYPE OF WORK (check):		Surface	0	3	
New Well 🖪 Deepening 🗆 Recor	nditioning 🗌 💢 Abandon 🗀	Sandy brown clay	3	31	
If abandonment, describe material and proceed	dure in Item 11.	Sandy blue clay	31	78	
PROPOSED USE (check):	(5) TYPE OF WELL:	Broken sand and clay	78	105	
, , , , , , , , , , , , , , , , , , , ,	Rotary Driven	Clay	105	117	
Domestic 🖸 Industrial 🗆 Municipal 🗆	Cable 🗵 Jetted 🗆	Broken sand and gravel	117	122	
Irrigation	Dug 🗌 Bored 🗎		_		
(6) CASING INSTALLED: Tr	hreaded □ Welded 점		-		
Tiam. from ft, to	_	· -	-		
Time in the property of	ft. Gage	-	-		
			-		
***************************************	erforated? 🗹 Yes 🗌 No		-		
7/0	716		-		
SIZE of perforations 3/8 in. by 18 perforations from 118	$\frac{1/2}{16!!} \frac{\text{in.}}{\text{ft to}} = \frac{120!6!!}{120!6!!}$		- 		
perforations from perforations from	Ĭ				
perforations from perforations from					
perforations from					
perforations from	· ·				
periorations from			. <u>.</u>		
(8) SCREENS: Well screen	installed 🗌 Yes 🗗 No		_		
Manufacturer's Name			_		
Type	Model No				
Slot size Set from	1		<u> </u>	<u> </u>	
Slot size Set from	ft. to ft.	Work started August 21 1961. Completed At	igust 2	2 1961	
(9) CONSTRUCTION:	ro of grovel	(13) PUMP:			
Was well grayel packed? Yes M No Siz		Manufacturer's Name			
Gravel placed fromft. toft. Was a surface seal provided? ☐ Yes ☑ No To what depth?£ft.		Type:	H.P		
Material used in seal— BENTONITE		Well Driller's Statement:			
Did any strata contain unusable water?	•	This well was drilled under my jurisdiction	and this	report is	
Type of water? Depth or	f strata	true to the best of my knowledge and belief.	7110		
Method of sealing strata off		NAME John Truman Miller			
(10) WATER TEXELS		(Person, firm, or corporation) (Type or prin		
(10) WATER LEVELS: Static level 31'8" ft. below land	d surface Data	Address P O Box 42 Hubbard,	Oregon	1	
	d surface Date uare inch Date				
Artesian pressure lbs. per squ	AUTO INCII DALE	Driller's well number	,		
Log Accepted by:	_	[Signed] Mand			
[Signed] Herall of Este Date	August 23 ₁₉ 61	(Well Briller)			
(Owner)	,	License No. 277 Date Augu	ıst 23	ı, 19.61	