NOTICE TO WATER WELL CONTRACTOR MAYO HOLLIN The original and first copy of this report are to be

## WATER WELL REPORT

filed with the

STATE OF OREGON
STATE ENGINEER, SALEM, OREGON 97310

Within 30 days from the late

37 - 42/0 State Well No. 5/26-3	G

of well completion.	G-4210	
STATE ENGINEER	(11) LOCATION OF WELL:	
(1) OWNER: SALEM OREGON		
Name III O TO 11712	County///ar on Driller's well number	
Address	SW 14 N 8 14 Section 3 T. 5 S R. 2 W W.M.	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	
	Localed by Mars.	
New Well Deepening Reconditioning Abandon		
If abandonment, describe material and procedure in Item 12.		
(3) TYPE OF WELL: (4) PROPOSED USE (check	(12) WELL LOG: Diameter of well below casing	
Rotary Driven Domestic Industrial Municip	Depth drilled / 9 5 it. Depth of completed well / 7 5 it.	
Dug	Formation: Describe color, texture, grain size and structure of materials;	
CASING INSTALLED: Threaded □ Welded ☑	and show thickness and nature of each stratum and aquifer penetrated,	
12." Diam from 0 ft. to 50 ft. Gage 12.5	with at least one entry for each change of formation. Report each change	
12" Diam. from C ft. to 195 ft. Gage		
"Diam. from ft. to ft. Gage		
	10/05011 & Darke Brown 0 32	
PERFORATIONS: Perforated? Yes No.	B14e Clay & Silt 32 44	
ype of perforator used forch.		
Size of perforations /s in. by 6 in.	Do to British dilly 174 05	
1260 perforations from 80 th to 195	n. Fine 13/ack sand 95 /34	
perforations from ft. to		
	= 11 ne 1/4 ny 30 ne 1/05 1/5	
(7) SCREENS: Well screen installed?   Yes No	a round Ripe was alread	
Manufacturer's Name	Thellering	
Type Model No.	To 195. The stolled 10 was the	
Diam. Slot size Set from ft. to	1/2018 100 100 100 100 100 10 10 10 10 00 00 0	
Diam. Slot size Set from ft. to	Packed as The out side was	
(8) WATER LEVEL: Completed well.	Pulled Gack to 50 ET.	
Stric level /6 ft. below land surface Date 5 -10	466 Her was used for developing	
	7 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	
sian pressure lbs. per square inch Date		
(9) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? [] Yes [] No If yes, by whom?		
ld: 807) gal./min. with 38 ft. drawdown after /2	hrs. Work started Wall 18 19 Completed June 14 1966	
" " " "	Date well drilling machine moved off of well	
" "	Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Mate-	
Bailer test gal./min. with ft. drawdown after	<u>nrs.</u>   rials used and information reported above are true to my best	
Artesian flow g,p.m. Date	knowledge and belief	
Temperature of water 53 Was a chemical analysis made?   Yes	(Drifting Machine Operator) Date 4.1. 1946	
(10) CONSTRUCTION:		
the state of the s	Drilling Machine Operator's License No. 43.7	
11 7	tt. Water Well Contractor's Certification:	
Diameter of well bore to bottom of sealin.	This well was drilled under my jurisdiction and this report is	
Were any loose strata cemented off? Yes Yes Depth	true to the hest of my knowledge and belief.	
Was a drive shoe used? ☑ Yes ☐ No	NAME JAMA WIZELLING IN 11172 9	
	(Person, firm or corporation) (Type or print)	
Did any strata contain unusable water?  Yes  A	- Address 9/BUSIVYST Canky one	
Type of water? depth of strata	-   / / B / /	
Method of sealing strata off	[Signed] (Water Well Contractor)	
Was well gravel packed? ☐ Yes ☐ No Size of gravel: X	<del>-                                      </del>	
Gravel placed from ft. to ft.	Contractor's License No. N.4. 9. Date	

(USE ADDITIONAL SHEETS IF NECESSARY) This