NOTICE TO WATER WELL CONTRACTOR  The original and first copy of this report  WATER WEI	RECEIVED
are to be filed with the	OREGONAPP. 261978 State Well No. 55 2W-4C
STATE OF SALEM, OREGON 97310 (Please type	OREGONAPP. 2 6 1978 State Well No. D. Z.W. T.C.
WATER RESOURCES DEPARTMENT, STATE OF SALEM, OREGON 97310 (Please type within 30 days from the date of well completion.	boW MISTRe, RESOURCES DESTATE Permit No
(1) OWNER:	(10) LOCATION OF WELL:
Name John Coleman	County Marion Driller's well number 7806
Address Bt. 1. Box 402 Woodburn, Ore. 97071	NW 14 SW14 Section 4 T. 5S R. 2W W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
`` <b>y</b>	
New Well Deepening Reconditioning Abandon   If should record and record and record and the state of the state	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 0 ft.
Rotary Driven Domestic Industrial Municipal	Static level ft. below land surface. Date
Dug 🛘 Bored 🗍 Irrigation 🍒 Test Well 🗍 Other 🖺	Artesian pressure 2 lbs. per square inch. Date
CASING INSTALLED: Threaded D Welded	
20 0 70 375	(12) WELL LOG: Diameter of well below casing
-	Depth drilled ft. Depth of completed well ft.
"Diam from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
" Diam. fromft. toft. Gage	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
(6) PERFORATIONS: Perforated? X Yes No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used original perforations	MATERIAL From To SWL
Size of perforations see attached log for	See attached log for Peter Kirk
Peter KITK ft. to ft.	
perforations fromft. toft.	Note: Attempt was made to stop artesia
perforations from	flow above ground. A 20" casing was
	driven down 40' around ariginal 10"
(7) SCREENS: Well screen installed?   Yes I No	casing. Backhoe dug down approximatel
Manufacturer's Name	10' and 2' wide around 20" casing. Wel
Type Model No	was pumped to bring water level below
Diam. Slot size Set from ft. to ft.  Diam. Slot size Set from ft. to ft.	10' while ready-mix was poured from
Ditti	top. Flow was stopped and remained
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	stopped for approximately two days whereupon water began seeping on the
Was a pump test made? ☐ Yes No If yes, by whom?	
	south side of the cement. Owner was to attempt to stop this smaller flow.
eld: gal./min. with it. drawdown after hrs.	Plate was welded between 20" and 10"
	casing to stop flow between casings.
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
emperature of water Depth artesian flow encountered ft.	Work started 3-1 1977 Completed 4-6 1977
(9) CONSTRUCTION:	Date well drilling machine moved off of well 4-6 1977
Well seal—Material used 9 yds 6 sk ready-mix	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct supervision
Diameter of well bore to bottom of sealin.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin	
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)
How was cement grout placed?	Drilling Machine Operator's License No. 1085
I and the second	The state of the s
	Water Well Contractor's Certification:
**************************************	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used?   Yes No Plugs Size: location ft.	
Did any strata contain unusable water? Tes I No	(Person firm or composition)
Type of water? depth strata	Address 21881 Riven Rd NE. St. Paul, Ore.
Method of sealing strata off	[Signed] Mile Sellie 97137
Was well gravel packed? Yes \( \text{Yes} \( \text{If Inal lygravel} \)	(Water Well Contractor)
Gravel placed from ? ft.	Contractor's License No. 387 Date 4-24 , 1978
(USE ADDITIONAL SH	

SP\*45656-119