NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

Robert Coleman

Rt. 1, Box 290 Gervais, Oregon

14 Section 9

Bearing and distance from section or subdivision corner

TYPE OF WORK (check):

(4) PROPOSED USE (check):

Irrigation X Test Well | Other-

(6) CASING INSTALLED: 18 " Diam. from ...

(7) PERFORATIONS:

Type of perforator used Size of perforations

> 2) SCREENS: ufacturer's Name .

Artesian pressure

Domestic 🗌 Industrial 🗎 Municipal 🗍

Deepening [

If abandonment, describe material and procedure in Item 12.

.. ft. to ..

torch

perforations from ..

perforations from . perforations from ... perforations from ___

(2) LOCATION OF WELL:

(1) OWNER:

County Marion

Well

Name Address WATER WELL REPORT

Abandon 🔲

Driven 🔲

Jetted |

Bored [

(5) TYPE OF WELL:

MAR 334

State Well No. .

5/211	X	
0/2W-	X	

STATE OF STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

Driller's well number

T. 58

Reconditioning [

Rotary

Threaded | Welded

Perforated? X Yes 🔲 No

..... ft. to 12

Well screen installed? | Yes No

lbs. Der guare inch Date

Cable

Dug

or print)	/	
or print) G-2886 State Permit No		***************************************
(11) WELL TESTS: Drawdown is amoun lowered below static was a pump test made? Yes Drawdown is amoun lowered below static Drawdown is amount lowered below static Drawdown is a	e level	l is
7600	down after	6 hrs.
" 1400 " 69 "		65 cl
" 1200 " 62 "		7, "
T 9 9 9	down after	73
Artesian flow g.p.m. Date	down after	8章 hrs.
Temperature of water 55 Was a chemical analys	is made? 🔲	Yes No
(12) WELL LOG: Diameter of well below	casing	
Depth drilled ft. Depth of completed		ft.
Formation: Describe by color, character, size of mate show thickness of aquifiers and the kind and nature stratum penetrated, with at least one entry for each	erial and stru of the mater i change of	cture, and ial in each formation.
MATERIAL	FROM	то
Top	0	2 r
Brown clay	2	33
Hard brown clay	33	39
Blue clay	39	41
Brown clay	41	59
Blue clay	59	71
Fine black sand	71	74
Blue clay	74	80
Brown clay	80	90
Black sand	90	94
Brown clay	94	96
Black sand	96	99
Rock (Boulder)	99	100
Medium black sand	100	111_
Coarse black sand	111	1,27
With layers of gravel mostly to)	
1+" few cobbles to 3"		
Brown clay	127	129-3

Work started 3-9 1964. Completed	4-1	19 64
Date well drilling machine moved off of well	1	<u> 19 64</u>
(13) PUMP:		
Manufacturer's Name		
Type:	. H.P	· Indicate the second
Water Well Contractor's Certification:	·	
This well was drilled under my jurisdiction rue to the best of my knowledge and belief.	n and this	report is

Diam. Slot size Set from . Diam. Slot size Set from (9) CONSTRUCTION: Concrete Well seal-Material used in seal ft. Was | packer used? 110 Were any loose strata cemented off? [Yes X No Depth Was a drive shoe used? ☐ Yes 🕱 No Was well gravel packed? X Yes I No Size of gravel: 3 - 3/4 Gravel placed from O . ft. to -Did any strata contain unusable water? I Yes No Depth of strata Type of water? Method of sealing strata off (10) WATER LEVELS: ft. below land surface Date 3-30-64 Static level

Thic.	***~11	 J., 377 . J	

Milo Schneider Equipment Co. (Person, firm or corporation) Star Rt., Pox 97, St. Paul, Oregon

Drilling	Machine	Operat	or's Aficer	nse No.	212
reignod.	M	1	fik	7	122
[prgued	1 Lunday Carl	San		k ale	

Contractor's License No. 387.

(USE ADDITIONAL SHEETS IF NECESSARY)