

RECEIVED

MAR 23 1965

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

JUL 9 1965

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

STATE OF OREGON (Please type or print)

State Well No. 5/2W-10M State Permit No.

G2654

(1) OWNER:

Name Andrew Deconick Address Rt 1 Box 460 Woodburn Oregon

(2) LOCATION OF WELL:

County Marion Driller's well number NW 1/4 SW 1/4 Section 10 T. 5S R. 2W W.M. Bearing and distance from section or subdivision corner North 1460 ft and East 75 ft from SE corner of sec 9.

(3) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) TYPE OF WELL:

Rotary [] Cable [] Dug [] Driven [] Jetted [X] Bored [X]

(6) CASING INSTALLED:

12" ID Diam. from ft. to ft. Gage Threaded [] Welded [X]

(7) PERFORATIONS:

Perforated? [X] Yes [] No Type of perforator used cutting torch 6 Row around Size of perforations 1/4" x 10 in. by 10" in. 1/4" by 10" perforations from 60 ft. to 109 ft. Blank between perforations from ft. to ft.

(8) SCREENS:

Well screen installed [] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal cement Depth of seal 14 ft. Was a packer used? no Diameter of well bore to bottom of seal 20" in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [] Yes [X] No Was well gravel packed? [X] Yes [] No size of gravel: 3/4 minus Gravel placed from 14 ft. to 109 ft. Did any strata contain unusable water? [] Yes [X] No Type of water? clear Depth of strata Method of sealing strata off

(10) WATER LEVELS:

Static level 10 ft. below land surface Date 6-1-62 Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [X] Yes [] No If yes, by whom? Yield: 1000 gal./min. with ft. drawdown after 10 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [] Yes [X] No

(12) WELL LOG:

Diameter of well below casing Depth drilled ft. Depth of completed well ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Rows: Surface foam (0' to 3 1/2'), Hard yellow clay (3 1/2' to 45'), Fine sandy clay (45' to 75'), Blue sand (75' to 85'), Black sand (85' to 105'), Sand and gravel (105' to 109')

Work started 19 Completed 19 Date well drilling machine moved off of well 19

(13) PUMP:

Manufacturer's Name Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME (Person, firm or corporation) (Type or print)

Address

Drilling Machine Operator's License No.

[Signed] (Water Well Contractor)

Contractor's License No. Date 19