NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line)

(10) LOCATION OF WELL: (1) OWNER: County Marion Driller's well number Name W. H. Envart Address Rt. 1, box 328 Woodburn, Oregon 97026 Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Reconditioning [ Abandon | New Well 译 Deepening 🔲 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Driven 🗆 Rotary Domestic 🗷 Industrial 🗌 Municipal 🗌 ft. below land surface. Date Static level Jetted [] Cable Irrigation | Test Well | Other Ibs. per square inch. Date Bored | Artesian pressure CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing . Gu." Diam. from 0 ft. to 138 ft. Gage ft. Depth of completed well Depth drilled 138 "Diam. from ft. to ft. Gage Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? | Yes | XNo. MATERIAL Type of perforator used in. by Size of perforations topsoil, brown \_\_\_ perforations from \_\_\_\_ 2 clay, brown \_\_ perforations from .. 50 clay-gray, sandy perforations from ... 70 clay-gray, sticky 50 70 85 sandy-clay, gray (7) SCREENS: Well screen installed? Yes KNo 120 sticky-clay, gray Manufacturer's Name .... <u>138</u> wb sandy clay & gravel \_\_\_\_ Set from \_\_\_\_ ft. to \_\_\_\_ ft. Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? Yes No If yes, by whom? gal./min. with ft. drawdown after Bailer test 110 ft. drawdown after gal./min. with g.p.m. Artesian flow 76 Completed Depth artesian flow encountered Work started erature of water Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used ..... This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. Well sealed from land surface to Diameter of well bore to bottom of seal 119 to 19'-8 into 20' Diameter of well bore below seal .... Number of sacks of cement used in well seal ..... Drilling Machine Operator's License No. .. Number of sacks of bentonite used in it seal ..... Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Stadeli Drilling Co. Was a drive shoe used? 🗗 Yes 🗌 No Plug ...... Size: location ...... ft. (Person, firm or corporation) Did any strata contain unusable water? TYes Y No Type of water? Method of sealing strata off Was well gravel packed? 🗌 Yes 🗔 Contractor's License No. <u>\$19</u> Date <u>May 31</u> , 19.76 Gravel placed from ......