

SEP 27 1956

(1) OWNER: **MARI 2156**
 Name KILIAN W. SMITH
 Address 355 SETTLEMIER AVE
WOODBURN ORE

(2) LOCATION OF WELL:
 County MARION Owner's number, if any— 3
 R. F. D. or Street No.
 Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):
 New well Deepening Reconditioning Abandon
 abandonment, describe material and procedure in Item 11.

(4) PROPOSED USE (check):
 Domestic Industrial Municipal
 Irrigation Test Well Other
 Rotary
 Cable
 Dug Well

(6) CASING INSTALLED:
 Threaded Welded
 If gravel packed

FROM	ft. to	ft.	Diam.	Gage or Wall	Diameter of Bore	from ft.	to ft.
<u>20</u>	<u>20</u>	<u>10</u>	<u>in</u>	<u>1/4</u>			
"	"	"	"	"			
"	"	"	"	"			
"	"	"	"	"			
"	"	"	"	"			
"	"	"	"	"			

Type and size of shoe or well ring NONE Size of gravel:
 Describe joint

(7) PERFORATIONS:
 Type of perforator used Cutting Tar.
 SIZE of perforations 2 1/2 in., length, by 1 1/4 in.
 FROM 140 ft. to 154 ft. perf per foot 18 No. of rows 6

SCREENS:
 Give Manufacturer's Name, Model No. and Size

(8) CONSTRUCTION:
 Was a surface sanitary seal provided? Yes No To what depth ft.
 Were any strata sealed against pollution? Yes No
 If yes, note depth of strata
 FROM ft. to ft.

METHOD OF SEALING

(9) WATER LEVELS:
 Depth at which water was first found 30 ft.
 Standing level before perforating 25 ft.
 Standing level after perforating 15 ft.
 Log Accepted by: Kilian Smith
 [Signed] Kilian Smith Owner Dated Aug, 1956

(10) WELL TESTS: PUMP PIPE + POWER
 Was a pump test made? Yes No If yes, by whom? PORTLAND
 Yield: 550 gal./min. with 120 ft. draw down after 1 hrs.
 " " " "
 " " " "
 " " " "
 Artesian flow g.p.m.
 Shut-in pressure lbs. per square inch.
 Bailer test g.p.m. with ft. drawdown
 Temperature of water Was a chemical analysis made? Yes No
 Was electric log made of well? Yes No

(11) WELL LOG:
 Diameter of well, 10 inches.
 Total depth 157 ft. Depth of completed well 154 ft.
 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

ft. to	ft.	
<u>0</u>	<u>30</u>	<u>BROWN Clay</u>
<u>30</u>	<u>50</u>	<u>SILTY SAND</u>
<u>50</u>	<u>112</u>	<u>Blue Clay</u>
<u>112</u>	<u>130</u>	<u>BLACK SAND</u>
<u>130</u>	<u>140</u>	<u>SAND & GRAVEL</u>
<u>140</u>	<u>154</u>	<u>GRAVEL</u>
<u>154</u>	<u>157</u>	<u>Clay Blue</u>

Ground elevation at well site feet above mean sea level.
 Work started July 1956 Completed Aug, 1956

Well Driller's Statement:
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
 NAME EDMOND DANISKEY
 (Person, firm, or corporation) (Typed or printed)
 Address 70761 BOX 105 WOODBURN
 Driller's well number 213
 [Signed] Edmond Daniskey (Well Driller)
 License No. 153 Dated Sept 17, 1956