NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON within 30 days from the dat of well completion.

WATER WELL REPORTE VED

15ddb

(Please type or print) OCT 4 = 1976 (Do not write above this line) TER PESOURCES DEPT.

State Permit No. ..

	TATEL			
1) OWNER:	(10) LOCATION OF WELL:	o b o w	81976	D
John Weise, Jr.	County Marion Marion Driller's well nur	214	01710	407
Address Rt. 1 Box 320	74 000000			W.M.
Gervais, Oregon 97026	Bearing and distance from section or subdivisio	n corner	,	.4
(2) TYPE OF WORK (check):	A COMMITTEE OF THE PARTY OF THE			
New Well □ Deepening 점 Reconditioning □ Abandon □				
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we	ıI.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	15		ft.
1	Static level 12 ft. below land st	ırface. I	Date 1.	1/30/75
Rotary Driven Domestic Industrial Municipal Domestic Industrial Municipal Domestic Test Well Other D	Artesian pressure Ibs. per square	inch. I	Date	
CASING INSTALLED: Threaded \(\square\) Welded \(\forall \) 10 " Diam. from \(\square\) ft. to \(\square\) 270 ft. Gage \(\square\) 250	(12) WELL LOG: Diameter of well be Depth drilled 270 ft. Depth of complete			10.11 70 ft.
" Diam, fromft. toft. Gage " Diam. fromft. toft. Gage "PERFORATIONS: Perforated? ₺ Yes □ No.	Formation: Describe color, texture, grain size a and show thickness and nature of each stratum with at least one entry for each change of format position of Static Water Level and indicate principle.	n and aq ion. Repo	ort each c	heiraled, hange in
m 1	MATERIAL	From	то	swL
1/0 5 in	Previous		162	12
Size of perforations 1/8 in, by 5 in. 198 perforations from 250 ft. to 270 ft.	Clay gray & green	162	235	
198 perforations from 200 ft. to	Gray sand & pea gravel	235	255	
perforations fromft. toft.	Gravel & Sand	255	256	
perforations from ft. to ft.	Gray clay & Sand	256	258	
(7) SCREENS: Well screen installed? Yes No	Black gravel & sand	258	270	
Manufacturer's Name				
Type Model No.				<u></u>
Diam. Slot size Set from ft. to ft.				
Diam. Slot size Set from ft. to ft.	DECEIVED			
	0 . h. C & a a a			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	OCT 2 9 1976	ļ		
Was a pump test made? Nes \(\text{No II yes, by whom?} \) Schoen's	STATER RESOURCES DEPT.			
reld: 800 gal/min. with 52 ft. drawdown after 2 hrs.				
" "	SALEM, CREGON		<u> </u>	
LONG DO SON LONG LONG LONG LONG LONG LONG LONG LO		1		
Pollow tort 100 gal /min, with 0 ft. drawdown after 2 hrs.				
Baller test 100 gan,		 		
riesian flow g.p.m.	Work started 11/15 19 75 Complet	ed 1:	1/30	19 75
perature of water 54 Depth artesian flow encountered ft.		ea	.1	
(9) CONSTRUCTION:	Date well drilling machine moved off of well	1.3	1/30	19 75
Coment.	Drilling Machine Operator's Certification	; 	Ł	
Well seal-material used	This well was constructed under my Materials used and information reported	above	are tru	e to my
Well sealed from land surface to Diameter of well bore to bottom of seal in.	best knowledge and belief.	,	•	
Diameter of well bore below seal in.		Date	9/ 27	, 197 <i>!</i>
Number of sacks of cement used in well sealO sacks	(Drilling Machine Operator) Drilling Machine Operator's License No.	ı	591.	
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No.		A. 4 878	
Brand name of bentonite	Water Well Contractor's Certification:			
Number of pounds of bentonite per 100 galons	This well was drilled under my jurisd	liction a	nd this	report is
of water lbs./100 gals.	true to the best of my knowledge and be	lief.		IL
Was a drive shoe used? L Yes No Plus Size: location ft.	Name Schoen's Electric & P			
Did any strata contain unusable water? Yes A No	and the second s		_	
Type of water? Repli of strata	Address 626 W. Queen Aye.; Al	oary.	ore.	71757
Method of sealing strata off	[Signed Kinny & Schwe	ب		
Was well gravel packed? ☐ Yes XXIO Size of gravel:	(Water Well Con	0	/27	171
Gravel placed fromft. toft.	Contractor's License No		1.4.(, 19.7