

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

MARI... 2510 WATER WELL REPORT

RECEIVED

STATE OF OREGON (Please type or print)

STATE ENGINEER

6-3923 OREGON

State Well No. 5/2w-17H

State Permit No.

(1) OWNER: NIBLER Name CARL NEBLER Address RT. 1 BOX 415 WOODBURN ORO.

(2) LOCATION OF WELL: County MARION Driller's well number 1/4 Section 17 T. 55 R. 2W W.M. Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check): Well [x] Deepening [] Reconditioning [] Abandon [] If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check): Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [] Other [] (5) TYPE OF WELL: Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored []

(6) CASING INSTALLED: Threaded [] Welded [x] 10" Diam. from 0 ft. to 155 ft. Gage 3/4"

(7) PERFORATIONS: Perforated? [x] Yes [] No Type of perforator used MILLS Size of perforations 3/8 in. by 2 1/2 in. 320 perforations from 135 ft. to 146 ft.

(8) SCREENS: Well screen installed? [] Yes [x] No Manufacturer's Name Model No. Diam. Slot size Set from ft. to

(9) CONSTRUCTION: Well seal—Material used in seal BENTONITE Depth of seal 65 ft. Was a packer used? YES Diameter of well bore to bottom of seal 14 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [x] Yes [] No Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to Did any strata contain unusable water? [x] Yes [] No Type of water? SANDY depth of strata 68' TO 97' Method of sealing strata off

(10) WATER LEVELS: Static level 14' ft. below land surface Date 4-3-67 Artesian pressure lbs. per square inch Date

(11) WELL TESTS: Drawdown is amount water level is lowered below static level. Was a pump test made? [x] Yes [] No If yes, by whom? STETTLER SUPPLY Yield: 300 gal./min. with 43 ft. drawdown after 1/2 hrs. 400 " 46 " 1/2 " 500 " 61 " 1/2 " 600 " 73 " 1/2 "

(12) WELL LOG: Diameter of well below casing 10" Depth drilled 155' ft. Depth of completed well 155' ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Rows include TOPSOIL, CLAY YELLOW COLOR, CLAY BLUE SILTY, CLAY BLUE STICKY, SAND BLACK-FINE-MUDDY, CLAY BLUE STICKY, SAND BLACK FINE MUDDY, SAND BLACK MED. TO COARSE, GRAVEL + SAND W.B. 3/4", CLAY BLUE MEARLY, CONGLOMERATE, GRAVEL + SAND, SAND + SOME GRAVEL 60% SAND, CONGLOMERATE, GRAVEL 3 1/4", CONGLOMERATE, GRAVEL 1 1/2", CONGLOMERATE, GRAVEL 2", CLAY BLUE STICKY.

Work started 3-21-1967 Completed 4-3-1967 Date well drilling machine moved off of well 4-3-1967

(13) PUMP: Manufacturer's Name Type: H.P.

Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME J. P. SNEED & SONS (Person, firm or corporation) (Type or print) Address 3910 SILVERTON RD SALEM ORO. Drilling Machine Operator's License No. 187 [Signed] J. P. Sneed (Water Well Contractor) Contractor's License No. 6 Date 4-3-1967

RECEIVED
APR 12 1967

STATE ENGINEER
SALEM, OREGON

RECEIVED
APR 7 1967

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the
STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT
Well No. 5/2w-17H

STATE OF OREGON
(Please type or print)

G-3923

State Permit No.

(1) OWNER: NIBLER
Name CARL NEIDER
Address RT. 1 BOX 415
WOODBURN ORE.

(2) LOCATION OF WELL:
County MARION Driller's well number _____
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check): (5) TYPE OF WELL:
Domestic Industrial Municipal Rotary Driven
Irrigation Test Well Other Cable Jetted
Dug Bored

(6) CASING INSTALLED: Threaded Welded
" Diam. from 10 ft. to 155 ft. Gage 4

(7) PERFORATIONS: Perforated? Yes No
Type of perforator used MILLS
Size of perforations 3/8 in. by 2 1/2 in.
320 perforations from 135 ft. to 146 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

(8) SCREENS: Well screen installed? Yes No
Manufacturer's Name _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(9) CONSTRUCTION:
Well seal—Material used in seal BENTONITE
Depth of seal 65 ft. Was a packer used? yes
Diameter of well bore to bottom of seal 14 in.
Were any loose strata cemented off? Yes No Depth _____
Was a drive shoe used? Yes No
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.
Did any strata contain unusable water? Yes No
Type of water? SANDY depth of strata 68' TO 97'
Method of sealing strata off _____

(10) WATER LEVELS:
Static level 14 ft. below land surface Date 4-3-67
Artesian pressure _____ lbs. per square inch Date _____

(11) WELL TESTS: Drawdown is amount water level is lowered below static level STETTLER
Was a pump test made? Yes No If yes, by whom? SUPPLY
Yield: 300 gal./min. with 45 ft. drawdown after 1/2 hrs.
" 400 " " " " " " " " "
" 500 " " " " " " " " "
" 600 " " " " " " " " "
Bailer test _____ gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow _____ g.p.m. Date _____
Temperature of water 52 ° Was a chemical analysis made? Yes No

(12) WELL LOG: Diameter of well below casing 10 "
Depth drilled 155 ft. Depth of completed well 155 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
TOPSOIL	0	1
CLAY YELLOW COLOR	1	34
CLAY BLUE SILTY	34	60
CLAY BLUE STICKY	60	68
SAND BLACK FINE - MUDDY	68	73
CLAY BLUE STICKY	72	88
SAND BLACK MUDDY	88	97
SAND BLACK MED. TO COARSE	97	107
GRAVEL + SAND 3/4"	107	110
CLAY BLUE COLOR	110	114
CONGLOMERATE	114	120
GRAVEL + SAND	120	122
SAND COARSE	122	123
CONGLOMERATE	123	126
GRAVEL 2 1/2"	126	127
CONGLOMERATE	127	135 1/2
GRAVEL 1 1/2"	135 1/2	138
CONGLOMERATE	138	143
GRAVEL 2"	143	146
CLAY BLUE STICKY	146	155

Work started 3-21-1967 Completed 4-3-1967
Date well drilling machine moved off of well 4-3-1967

(13) PUMP:
Manufacturer's Name _____
Type: _____ H.P. _____

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME J. A. SNEED + SONS
(Person, firm or corporation) (Type or print)
Address 3910 SKVERTON RD. N.E. SALEM ORE 97303
Drilling Machine Operator's License No. 187
[Signed] B. F. Sneed
(Water Well Contractor)
Contractor's License No. 6 Date 4-3-1967