NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be

filed with the

RECEIVED

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

TER WELL REPORT AN 1 3 1975

STATE OF OREGON State Well No. 55

(Please type or print) STATE ENGINEER

(Do not write above this lin SALEM, OREGON State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:	
Name Brentford Miller, Jr.	County Marion Driller's well number 7419	
Address Rt. 1, Box 420	14 14 Section 20 T. 5S R.2W W.1	—— . 8 <i>1</i> Т
Woodburn, Ore. 97071		¥1.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner	 -
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.		_
	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 71	ft.
Rotary Driven Domestic Industrial Municipal	Static level 23 ft. below land surface. Date 12-11	-7
Dug 🗌 Bored 🗋 Irrigation 🍒 Test Well 🗌 Other 📋	Artesian pressure lbs. per square inch. Date	,
CASING INSTALLED: Threaded To Welded K		_
CASING INSTALLED: Threaded Welded \(\frac{\mathbb{E}}{2}\) Welded \(\frac{\mathbb{E}}{2}\) Threaded \(\frac{\mathbb{E}}{2}\) Welded \(\frac{\mathbb{E}}{2}\) And	(12) WELL LOG: Diameter of well below casing	
	Depth drilled 158 ft. Depth of completed well 158	ft.
" Diam, fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of material	 s:
ft. toft. Gage	and show thickness and nature of each stratum and aquifer penetrate	đ.
PERFORATIONS: Perforated? \(\frac{1}{2} \) Yes \(\square\) No.	with at least one entry for each change of formation. Report each change position of Static Water Level and indicate principal water-bearing strat	in a.
Type of perforator used Mills Knife	Transport of the state of the s	_
£/16 2	Top soil 0 3	
648 124 142		
perforations from the to the second from the	Brown clay 3 25	_
perforations from ft. to ft.	Blue clay 25 32	
perforations fromft, toft.	Gray clay 32 71	
(7) SCREENS: Well screen installed? ☐ Yes 🛱 No	Gray sandy clay 71 76	
	Gray clay 76 90 Sand 90 99	
Manufacturer's Name Model No.	Sand 90 99 Sand & Gravel (4") 99 110	
Diam. Slot size Set from ft. to ft.	Gray clay 110 111	
Diam Slot size Set from ft. to ft.	Black Sand 111 116	_
	Black Sand & gravel (4")116 133	_
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Brown Sand & Gravel (4")	-
Was a pump test made? Yes No If yes, by whom?	Tight 133 139	
1,50	Black Sand & Gravel (5" 139 142	
Yield: 400 gal./min. with 70 nt. drawdown after 4 hrs.	Gray Clay 142 158	_
	to the action of the control of the	_
n n n n n n n n n n n	The state of the s	-
Bailer test gal./min. with ft. drawdown after hrs.	A the state of the	
Artesian flow g.p.m.		_
perature of water Depth artesian flow encountered ft.	Work started 11-26 1974 Completed 1-3 197	5
(0) CONSTRUCTION Consider in olar	Date well drilling machine moved off of well 1-3 197	
(9) CONSTRUCTION: Spudded in clay Cuttings		2
Well seal-Material used Cuttings	Drilling Machine Operator's Certification:	
Wen sealed from faint surface to	This well was constructed under my direct supervision Materials used and information reported above are true to m	i. V
Diameter of well bore to bottom of seal 12" in.	best knowledge and belief.	_
Diameter of well bore below seal in.	[Signed] Loty Mullin Date 1-10 1974	5
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 581	
Number of sacks of bentonite used in well sal sacks	Finding Machine Operator's Incense 140.	
Brand name of bentonite	Water Well Contractor's Certification:	
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is	~
of water lbs./100 gals.	, true to the best of my knowledge and belief.	3
Was a drive shoe used? ☐ Yes X No Piugs Size: location ft.	Name Milo Schneider Equipment Co.	
Did any strata contain unusable water? 🗆 😕 🖰 No	(Person, firm or corporation) (Type or print) Address Star Rt., Box 97. St. Paul Ora	
Type of water? depth of rata	Address Star Rt., Box 97, St. Paul. Ore,	50
Method of sealing strata off	[Signed] / leto Schneeder) {
Was well gravel packed? ☐ Yes ☐ No 52e of gravel:	(Water Well Contractor)	-
Gravel placed from ft. to ft.	Contractor's License No. 387 Date 1-10 1975	5
(USE ADDITIONAL SH	EETS IF NECESSARY)	-