NOTICE TO WATER WELL CONTRACTOR. CELVE MARKET MELL REPORT of this report are to be filed with the

State Well No. 5

State Permit No. ...

STATE ENGINEER, SALEM, ORECONDANTE ENGINEER OF OREGON within 30 days from the date of well completion. SALEM. OREGON

	1		
(1) OWNER:	(11) WELL TESTS: Drawdown is amount lowered below static le	water level vel	is
Name C. F. WERNER	Was a pump test made Y Yes No If yes, by whom	n? STET	TIER'S
Address ROUTE # I. BOX 250A	Yield: 525 gal./min. with 42 ft. drawdov	n after	3 hrs.
GERVAIS, OREGON (2) LOCATION OF WELL:	" " "		
(2) LOCATION OF WELL:	Bailer test gal./min, with ft. drawdo	wn after	hrs.
County MARICN Driller's well number 24	Artesian flow g.p.m. Date		
½ ½ Section 20 T. 5 S.R. 2 WEST W.M.	Temperature of water 54 Was a chemical analysis a	made? 🗌 Ye	s No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below ca		
	120		
	Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each c	he material	in each
(a) The Company ( 1 1 1)	MATERIAL	FROM	TO
(3) TYPE OF WORK (check):	TOP SOIL	0	5
Well	BLUE CLAY	5 3	30
Irasandonment, describe material and procedure in Item 12.	BROWN SAND	30 3	55
(4) PROPOSED USE (check): (5) TYPE OF WELL:	BLUE CLAY	35	65_
Domestic   Industrial   Municipal   Rotary   Driven	- GREY SAND	65	70
Irrigation Test Well Other Cable Jetted	BDUE CLAY	70	95
Dug 🖸 Bored 🖸	BLACKSAND	95	103
(6) CASING INSTALLED: Threaded  Welded	GRAVEL & SAND	103	120
12 <sub>Diam. from 0 ft. to 120 ft. Gage 250</sub>	Manufacture in the control of the co		
"Diam. fromft. toft. Gage			
" Diam. from ft. to ft. Gage			
(7) PERFORATIONS: Perforated? Yes No			
Type of perforator used	Frederick Control of the Control of		
Size of perforations 3/8 MILLS in. by in.			
perforations from ft. to ft.			
478 perforations from 103 ft. to 120 ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
(8) SCREENS: Well screen installed?   Yes Y No			
Manufacturer's Name		<u> </u>	
Model No.			<del></del>
Diam Slot size Set from ft. to ft.	Work started OCT 13 19 66 Completed	- Th	10.66
Diam ft. to ft.	Date well drilling machine moved off of well	MOV. 14	19 66
(9) CONSTRUCTION:	(13) PUMP:	<del>-دا که -</del>	OO
. 🖡			
Well seal—Material used in sealPUDDLE_CLAY	Manufacturer's Name	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Depth of sealft. Was a packer used?no	Type: H.P.		
Diameter of well bore to bottom of sealin.	Water Well Contractor's Certification:		
Were any loose strata cemented off? Yes Depth		_	
Was a drive shoe used? ∰ Yes ☐ No	This well was drilled under my jurisdiction a true to the best of my knowledge and belief.	ind this re	port is
Was well gravel packed?   Yes No Size of gravel:  Gravel placed from ft. to ft.	The same of the sa		
<u> </u>	NAME J. F. TERRELL  (Person, firm or corporation) (Ty)		*************
Did any strata contain unusable water? Yes No  Type of water? depth of strata			
	AddressRT # I, BOX 57, GERVAIS, OREGON		
Method of sealing strata off	Drilling Machine Operator's License No. 179	) [	***********
(10) WATER LEVELS:	[Signed] Mks Jona Into)	leer	00
Static level 18 ft. below land surface Dat NOV . 6.196	(Water Well Contractor)	1 1	
Artesian pressure lbs. per square inch Date	Contractor's License No460 Date	1.14	10 66
(USE ADDITIONAL SE	EELIG IE MECEGG V DAY	·	10