
OWNER: ROLL ROLL ROLL ROLL ROLL ROLL ROLL RO	MARIANO Welty  LL: Owner's No.  32. T. 5. S., R. 2.  from section or subdivision  South and 110 feet East  ion 32.	MAILING ADDRESS: CITY AND STATE:  E. W., W.M.	COUNTY . APPLICATI	0 1 10
Altitude at well	184 feet			
TYPE OF WELL: Dr	illed Date Constructed.	4-4-52		
	eet Depth cased		Section	32
FINISH:  % perforation a  AQUIFERS:  clay, shale, as  WATER LEVEL:  35 feet	and 5 perforations to fo	oot from 111 to 1	123 feet	
PUMPING EQUIPN Capacity	MENT: Type Berke	eley - Turbine		H.P
WELL TESTS:	6 ft. after	hours42	Q	G.P.M.
Drawdown3	2 ft. after	hours30	<u>0</u>	G.P.M.
USE OF WATER . SOURCE OF INFO DRILLER or DIGO	Irrigation RMATION GR-410 FER	Temp1	°F	, 19
REMARKS:  top soil and so yellow clay or blue clay or so blue clay and	ub soil - no water shale - no water hale - no water large gravel - no water l - all water bearing	2 39 49	2 41 90 110 123	

## STATE ENGINEER Salem, Oregon



	MARIN	·	APPLICAT	ION NO
•		MAILING ADDRESS:		g 2 of 3
OWNER:	++ a bu so box 2 dece 1 4 deu +4 da 42 v + 0 1 0 2 0 0 0 0 1 1 1 1 1 1 1 1 1 1 1 1	CTITE A VEITE		
COCATION OF WE	LL: Owner's No	STATE:	***********************	
1/ 5/5	T N. S., R.	E. W. W.M.	·	
	from section or subdiv			
	***************************************			
				i
			<del>-</del>	
Altitude at well	178	****		
TYPE OF WELL: Dr	illed Date Constru	ucted1952		
Depth drilled123	Depth cased	123	Section	
CASING RECORD:				
8 inch				
FINISH:				
Casing p	erforated lll to l	23		
AQUIFERS:	Residence of the second se			
•	gravel from 110 t	n 123		
	61 010 110 110 110			
WATER LEVEL:				
DIMPING FOILIDI	TENT: Type	Turbine		н.Р.
Capacity	G.P.M.	•••••		
WELL TESTS:				_
Drawdown		hours		
Drawdown		hours		G.P.I
Drawdown	Irrigation	Temp.	°F	G.P.I
Drawdown  Drawdown  USE OF WATER SOURCE OF INFO	ft. after  Irrigation  RMATION USGS	hours	°F	G.P.I
Drawdown	ft. after  Irrigation  RMATION USGS ER	Temp.	°F	G.P.I
Drawdown	ft. after  Irrigation  RMATION USGS  ER	hours	°F.	G.P.I

## STATE ENGINEER Salem, Oregon

mari 2792

State Well	No. 5/2W-32C(2)
County	Marion
Application	No

## Well Log

Pg 3.f3

	Data Daillad		
iller:	Date Drines	d murtage)	Thickness
CHARACTER OF MATERIAL	From	To	(feet)
TV			
Top soil	<u> </u>	2	
	2	47	30
Clay, yellow			
Clay, blue	43	90	44
Clay, blue, and gravel, large, water-			
bearing.	90	110	2
	110	123	<u> </u>
Sand and gravel, water-bearing			
Casing: 8-inch to 123 feet; perforated			
from 111 to 123 feet.	<u> </u>		1
			<del>-</del>
			<del>                                     </del>
			ľ
		<u></u>	
	l .		
		<del> </del>	
	1	1	L