NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line) 6-7392

State '	Well	ŅO.	5/	26	-33	
State	weir	140.				•

State Permit No.

(1) OWNER:	(11) LOÇATION OF WELL:			
Name RICHARD SCHWAINFURTH	County MARION Driller's well number			
Address GRRVAIS ORBE	14 14 Section 33 T. 5	S R. 2, a W.M.		
	Bearing and distance from section or subdivision	corner /		
(2) TYPE OF WORK (check):				
New Well Deepening Reconditioning Abandon				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well b	elow casing		
Rotary Driven Domestic Industrial Municipal Domestic	Depth drilled /60 ft. Depth of comple	3 /		
Dug	Formation: Describe color, texture, grain size a			
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stratur	m and aquifer penetrated,		
/2 " Diam. from 4/ ft. to 159 ft. Gage 250	with at least one entry for each change of forms in position of Static Water Level as drilling pro-	ceeds. Note drilling rates.		
"Diam from ft. to ft. Gage	MATERIAL	From To SWL		
" Diam. from ft. to ft. Gage	1	0 2		
	BROWN -C/MY	2 20		
PERFORATIONS: Perforated? Yes \(\text{No.} \)	BLUE - 11 SANDY	20 63		
Type of perforator used ////8	BLACK - SAND	6.3 101		
Size of perforations in. by 2 in.	GRAY - CLAY	10/ 1/2		
perforations fromft. toftft.	SAND + GRAVEL -SMALL	112 134		
684 perforations from	to posso.	, ,		
perforations from ft. to ft.	BROWN - CEMENTED	134 145		
perforations from ft. to ft.	GRAVEL			
perforations fromft. toft.	CTRAVIEL SMALL + MED.	145 149		
(7) SCREENS: Well screen installed? Yes No	GRAY - GLAY	197 160		
Manufacturer's Name				
Type Model No.				
Diam Slot size Set from ft. to ft.				
Diam. Slot size Set from ft. to ft. to ft.				
(8) WATER LEVEL: Completed well.				
Static level /5' ft. below land surface Date 6-3-68				
Ar an pressure lbs. per square inch Date				
(9) WELL TESTS: Drawdown is amount water level is lowered below static level				
lowered below static level				
Was a pump test made? Yes No If yes, by whom?	Work started 5-7 4 196 Complete	ed (1-3 - 1968		
Yield: 550 gal./min. with 64 ft. drawdown after 8 frs.	Date well drilling machine moved off of well	1968		
450 " 57 " 95"				
" " "	Drilling Machine Operator's Certification: This well was constructed under my di	irect supervision. Mate-		
Bailer test gal./min. with ft. drawdown after hrs.	rials used and information reported above			
Artesian flow g.p.m. Dafe	knowledge and belief.	1 4/ 11		
Temperature of water Was a chemical analysis made? Yes	[Signed] (Drilling Machine Operator)	Date 4 - 4 , 19 68		
(10) CONSTRUCTION:	Drilling Machine Operator's License No.	455		
Well seal-Material used BRNANIE				
Depth of seal 48	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal in.	This well was drilled under my jurisdi true to the best of my knowledge and belie			
Were any loose strata cemented off? Yell No Depth	NAME MILLER - BOBINSON	LWEST		
Was a drive shoe used? Wes No	(Person, firm or corporation)	(Type or print)		
Did any strata contain unusable watert Tyes No	Address 5545 JOSEAH	ST.J.E. SALM		
Type of water? depth of strata	11 1 00 - 11			
Method of sealing strata off	[Signed] Johnson L. Miller	<u>C</u>		
Was well gravel packed? Yes No Size of gravel:	(Water Well Contrac	nor) / C		
Gravel placed fromft. to ft.	Contractor's License No. 32 Date	, , 18/e B		