		RRS REPORT Do Not State Well No.	5/2w-J5D(1)		
	TER WELL DRILL	TOTAL Ten	G-8 := .		
i and ith the INEER, MARI.	STATE OF ORI				
EGON"	^	(10) WELL TESTS:			
ER: Zene Schwab		Was a pump test made? Yes No If yes, by	w down after hrs.		
	En court of Exercise	Yield: gal./min. with	" 4 "		
R. D. 1,	gen i distribut di pert ribu di	" 475 " 60 " 375 " 50	<u>" 4 "</u>		
go		A storing flow			
2) LOCATION OF WELL:	l any	lbs. per squar	e inch.		
County Owner's number, it any		Bailer testg.p.m. with Yes GNo			
. F. D. or Street No. earing and distance from section or subdivision c	orner	Temperature of water Was a chemical analy	7015 11141411		
goot South and dod it m	from the 5 S. R. 2 W.	Was electric log made of well? Yes ANo			
N.W. Corner of Sec 35 1:		(11) WELL LOG:			
of W. M. in Marion County	A Parker of the Control of the Contr	Diameter of well,10 inches.	140! 6 ¹¹ ft.		
(3) TYPE OF WORK (check):		Diameter of well,	naterial and structure, and		
Trocorrer	oning Abandon	Formation: Describe by color, character, size of reshow thickness of aquifers and the kind and national stratum penetrated, with at least one entry for	each change of formation.		
New well [Deeperms] If abandonment, describe material and procedure	(5) EQUIPMENT:				
PROPOSED USE (check):	(3) 2432	2 " 17 " clay			
Domestic 🔲 Industrial 🗍 Municipal 🗎	Rotary L	17 " 125 " sandy clay			
Irrigation Test Well Other	Dug Well 🗆	125 141 gravel			
	If gravel packed	"			
(6) CASING INSTALLED: Threaded Welded Gage	_				
or i	Diameter from to fit.				
" " "	rd "	B 0	<u> </u>		
9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		"			
	, , , , , , , , , , , , , , , , , , ,				
19 19 19 19 19 19 19 19 19 19 19 19 19 1					
n n n	Size of gravel:	n n			
Type and size of shoe ar well ring of Describe joint Welded					
Describe Joint WOZGC		0 0			
(7) PERFORATIONS:	5				
Type or periodate 2 in.	length, by 3/8	n			
44 40	rf per foot No. of ro	, , , , , , , , , , , , , , , , , , ,			
"132 " 140 " 8 "	12 27	н н			
33 35 35 35 35 35 35 35 35 35 35 35 35 3	11 11 11	n n			
19 19 19 19 19 19 19 19 19 19 19 19 19 1	0. 12	0 0 0			
100 00 100	and the second of the second	n n			
SCREENS: Give Manufacturer's Name, Model N	o. and Size	11 11			
		11 11			
(8) CONSTRUCTION:	No To what depth	rt. " "183	feet above mean sea level.		
(8) CONSTRUCTION: Was a surface sanitary seal provided? X Yes Were any strata sealed against pollution of	Yes LANo	Ground elevation at well are	pleted 9-3 1955		
Were any strata sealed against posterior if yes, note depth of strata	er ft.	Work stated O 20			
FROM It to	was a second	Well Driller's Statement: This well was drilled under my jur	isdiction and this report is		
"	· · · · · · · · · · · · · · · · · · ·	true to the best of my knowledge and b	611614		
METHOD OF SEALING		NAME John Truman Mi	(Typed or printed)		
(9) WATER LEVELS:		(Person firm, or corporation)	259, Hubbard, Or		
Denth at which water was first found	30亩	***	,00, 2200		
Standing level before perforating		ft. Driller's well number	mille		
Standing level after perforating	4	[Signed] (Veil)	Original Control		
Log Accepted by:	Red Sept. 3, 1	55 Licensecto. 69 Dated	./ SANT. A 46 D		
[Signed] Owner		,			

STATE ENGINEER Salem, Oregon	Well Record	STATE WELL NO. 5/2W-35D(1) COUNTY Marion		
Salem, Oregon	· /	APPLICATIO	ON NOG-110	
141	MAILING	nan #	lg 2 of 3	
OWNER: Zeno Schwah	ADDRESS:	RFD_#L	***************************************	
		Gervais, Oreg	an	
LOCATION OF WELL: Owner's No.	¥.	·		
NW 1/4 NW 1/4 Sec. 35 T 5 S., I	R2 W., W.M.	D(1)		
Bearing and distance from section or subd	livision	0		
corner 900' S. & 600' E. from NW	cor. Sec. 35		1	
		1		

Altitude at well 183' Interpol	ated			
TYPE OF WELL: Drilled Date Cons	. nol	Section3	5	
Depth drilledDepth case	ed14\(\frac{1}{2}\)	Dec to to to		
10 inch, set from 0 to 140½ feet FINISH: Perforated from 132 to 140 feet AQUIFERS: Gravel from 125 to 141 feet WATER LEVEL:		·		
302 feet below land surface, Aug	gust 1955			
PUMPING EQUIPMENT: Type	Turbine		H.P20	
	4 hours	numning 375	G.P.M.	
Drawdown 50 ft. after .	hours		CPM	
	4 hours			
USE OF WATER Irrigation SOURCE OF INFORMATION WE DRILLER or DIGGER John True	nan Miller	No 2 + 9 + 6 dd a part our meeting o man ob shy manda.		
ADDITIONAL DATA: Logx Water Level Measurer	ments Chemical	Analysis	Aquifer Test	

REMARKS:

STATE ENGINEER Salem, Oregon

man 2854

State Well No.	5/2W-35D(1)
County Mar	ion
	<u> </u>

Well Log

Pg 3.f3

Owner: Zeno Schwab	Owner's No.			
Owner: John Truman Miller	Date Dri	Date Drilled August 1955		
CHARACTER OF MATERIAL	(Feet beld	w 'and surface) To	Thickness (feet)	
	0	2	2	
Soil -	2	17	15	
Clay	17.	125	108	
Clay, sandy	125	21/1	16	
Gravel, water bearing				
-				
<u>-</u>				
		,		
<u></u>				
	A CONTRACT OF THE CONTRACT OF			