

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

2943
MART...

WATER WELL REPORT

RECEIVED
FEB 12 1969

STATE OF OREGON STATE ENGINEER No. 5/3W-35
(Please type or print) SALEM, OREGON
(Do not write above this line) State Permit No.

(1) OWNER:

Name LES PEARMINO
Address RT. 1 BOX 50
GERMANS ORG. 97026

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
12" Diam. from 0 ft. to 59 ft. Gage $\frac{7}{8}$
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.
Type of perforator used MILLS
Size of perforations 3/8 in. by 2 1/2 in.
132 perforations from 35' ft. to 41' ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 11' 7" ft. below land surface Date 2-8-69
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " " "
" " " " " "
Bailer test 70 gal./min. with 1 ft. drawdown after 1 1/2 hrs.
Artesian flow g.p.m. Date
Temperature of water 57° Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used BENTONITE
Depth of seal 2.2' ft.
Diameter of well bore to bottom of seal 16" in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? SANDY depth of strata
Method of sealing strata off CEASED
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County MARION Driller's well number
1/4 1/4 Section 35 T. 55 R. 3W W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 12"
Depth drilled 59' ft. Depth of completed well 59' ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
TOPSOIL	0	3	
CLAY YELLOW COLOR	3	16	
CONGLOMERATE	16	23	
SAND + PEBBLES 90% SAND	23	27	
GRAVEL 3"	27	42	
DECOMPOSED VEGETATION SAND	42	57	
GRAVEL 3"	57	59	

Work started 2-6-1969 Completed 2-8-1969
Date well drilling machine moved off of well 2-9-1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] P.F. Sneed Date 2-9-1969
(Drilling Machine Operator)

Drilling Machine Operator's License No. 187

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME J.A. SNEED & SONS
(Person, firm or corporation) (Type or print)
Address 3910 SILVERTON RD SALEM ORG
[Signed] P.F. Sneed
(Water Well Contractor)
Contractor's License No. 6 Date 2-9-1969