Dunlingto with the	LL REPORTA ARI State Well No. 5/310-356 (1) OREGON CASTO
STATE ENGINEER, SALEM, OREGON 111 1111 24 1957 STATE OF	State Permit No.
(1) OWNER: Name Fred Viesko	(11) WELL TESTS: Drawdown is amount water level is lowered below static level
D1 1 0	Was a pump test made? Yes \(\text{No If yes, by whom} \) Sears
Address Box Rt.1 Gervals, Oregon 105	Yield: gal./min. with ft. drawdown after hrs.
	31 21 21 22
(2) LOCATION OF WELL:	Bailer test gal./min. with ft. drawdown after hrs.
County Marion Owner's number, if any	Artesian flow g.p.m. Date
S.W. N. W. 1/4 Section 35 T. 5 S. R. 3 W. W.M.	Temperature of water 56 Was a chemical analysis made? Yes Mo
Bearing and distance from section or subdivision corner Well is	(Shawell LOG. Dismeter of well 10 inches
Located North 1814.8 ft. and East 2974. From the most Northerly North East corner	62
man and the second of the seco	Depth diffied 11. Depth of completed wen 11.
t.5 South Range 3 West Marion County On	show thickness of aquifers and the kind and nature of the material in each
	MATERIAL FROM TO
TYPE OF WORK (check):	C434 3
Well	Sand & Gravel (some clay) 10 20
abaltatiment, describe material and procedure in 1991.	Gravel, loose in spots
(4) PROPOSED USE (check): (5) TYPE OF WELL:	other spots hard & tight
vestic □ Industrial □ Municipal □ Rotary □ Driven □ Cable X Jetted □	some silt 20 50
tion Test Well Other Cable X Jetted Dug Bored	Loose Sand & Gravel (Water) 50 63
CACTACO TAXONATA TO	
(o) CASING INSTALLED: Threaded Welded Welded 10" Diam, from 0 ft. to 63 ft. Gage 279 10	
" Diam. from	
Diam. fromit, toit. Gage	White Design and the second se
(7) PERFORATIONS: Perforated? X□ Yes □ No	***PUMP TEST***
Type of perforator used Mills	400 G.P.M. @ 20 ft. 500 G.P.M. @ 22 ft.
SIZE of perforations in, by in.	600 G.P.M. @ 22 ft.
580 perforations from 23 ft. to 63 ft.	700 G.P.M. @ 27 ft.
perforations fromft. toft.	
perforations fromft. toftftft.	After 4 hrs. Pumping
perforations fromft. toft.	
SCREENS: Well screen installed Yes No	
acturer's Name	-
Model No.	
	Work started 4-22-57 19 . Completed 5-4-57 19
Diam. Slot size Set from	work started 5 19 . Completed 19
CONSTRUCTION:	(13) PUMP:
vell gravel packed? Yes No Size of gravel:	Manufacturer's Name
el placed fromft. toft.	Type: H.P.
Was a surface seal provided? X Yes \(\subseteq No \) To what depth? 10	Wall Dalland, Old and a
Material used in seal— Puddled Clay Did any strata contain unusable water? Yes X No	Well Driller's Statement:
Type of water? Depth of strata	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Method of sealing strata off	NAME Irving Sears
	NAME (Person, firm, or corporation) (Type or print)
(10) WATER LEVELS:	Address Rt.1 Gervais, Oregon
Static level 15 ft. below land surface Date 5-4-57 Artesian pressure lbs. per square inch Date	225
Artesian pressure lbs. per square inch Date	Driller's well number 335
Log Accepted by:	[Signed] Julia Slas
[Signed] Fred Viesko Date MAY 20, 1957	(Well Driller)
(Owner)	License No. 8 Date 5-6-57 19