

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line)

STATE ENGINEER

SALEM, OREGON

DEEPENING

Well #1
MARI... 2980
G-4916

State Well No. 6/1w-1(90)
State Permit No.

(1) OWNER:

Name JIM BUTSCH
Address R#1 BOX 99, MT ANGEL ORE

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

8" Diam. from 357 ft. to 505 ft. Gage .277
Threaded Welded

PERFORATIONS:

Perforated? Yes No.
Type of perforator used STAR
Size of perforations 3/8 in. by 1 1/4 in.
600 perforations from 360 ft. to 400 ft.
400 perforations from 440 ft. to 470 ft.
180 perforations from 485 ft. to 495 ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 23 ft. below land surface Date 3/20/68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? STRASSER
Yield: 530 gal./min. with 132 ft. drawdown after 3 hrs.
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used
Depth of seal ft.
Diameter of well bore to bottom of seal in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County CLACK Driller's well number 4270
SW 1/4 NE 1/4 Section 1 T. 6 S. R. 1 W. W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8
Depth drilled 700 ft. Depth of completed well 700 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
HARD MUDSTONE	475	487	
RED CLAY	487	495	
GREEN CLAY	495	503	
HARD GREY CLAY	503	507	
GREEN ROCK (CLAY SEAMS)	507	537	
HARD MUDSTONE	537	577	
GREEN SHALE	577	591	
SOFT GREY ROCK	591	630	
GREEN SHALE	630	652	
GREY SHALE	652	670	
HARD BLACK SHALE	670	681	
GREY SHALE	681	700	

Work started FEB 18 1968 Completed MAR 21 1968
Date well drilling machine moved off of well MAR 21 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] W. C. Smith Date 3/29, 1968
(Drilling Machine Operator)

Drilling Machine Operator's License No. 175

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME R. STRASSER DRILLING CO
(Person, firm or corporation) (Type or print)

Address 8110 SE SUNSET LANE PORTLAND ORE

[Signed] Robert L. Strasser
(Water Well Contractor)

Contractor's License No. 10 Date MAR 29, 1968