NOTICE TO WATER WELL CONTRACTOR The original and first copy WATER WELL REPORT of this report are to be UGT 1 1 1974 State Well No. 65/1W-3ab filed with the STATE OF OREGON (Please type or print) STATE ENGINEER State Permit No. STATE ENGINEER, SALEM, OREGON within 30 days from the date (Do not write above this line SALEM, OREGON of well completion. (1) OWNER: (10) LOCATION OF WELL: County Mayon Driller's well number Name IVan SIGITZew NW 4NE 4 Section 7 T. 65 R. / W Al Box 19. Put Angle Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Z Deepening [Reconditioning | Abandon [7] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found 56 Rotary ☐ Driven ☐ Static level 22 ft. below land surface. Date 5-18 Domestic 4-Industrial | Municipal | ✓ Jetted ☐ Bored ☐ Cable Irrigation Test Well Other Artesian pressure lbs. per square inch. Date (5) CASING INSTALLED: Threaded [Welded [Diameter of well below casing 800 (12) WELL LOG: 8 " Diam. from 22 ft. to 240 ft. Gage 7.50 800 " Diam. from 222 ft. to 302 ft. Gage 10 Depth drilled 3/0 ft. Depth of completed well 3/0 Formation: Describe color, texture, grain size and structure of materials; ..." Diam. from ft. to ____ ft. Gage and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in (6) PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Yes No. Type of perforator used MATERIAL SWT. 3/2 in. by Size of perforations TOP SOIL 3 46 100 perforations from 760 ft. to 180 ft. 56 46 56 perforations from ft. to ft. 110 (7) SCREENS: Well screen installed? | Yes | No 114 120 Manufacturer's Name 158 120 180 260 260 250 Drawdown is amount water level is lowered below static level (8) WELL TESTS: Red Clay with white Str 4280 300 Roment Gravel 300 310 Was a pump test made?

Yes

No If yes, by whom? d: 130 gal./min. with 76 ft. drawdown after hrs. ft. drawdown after Bailer test gal./min. with g.p.m. mperature of water 5 3 Depth artesian flow encountered Work started My 4 // 1974 Completed Sept 6 1974 Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used This well was constructed under my direct supervision. Well sealed from land surface to 36 Materials used and information reported above are true to my Diameter of well bore to bottom of seal best knowledge and belief. Conting Machine Operator) Date Scpt 20 1974. Diameter of well bore below seal in. Drilling Machine Operator's License No. 437 Number of sacks of bentonite used in well seal Brand name of bentonite Eastern Oregon Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallos This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? ☐ Yes ☐ No Plugs ____ Size: location ____ ft. Name JW Beck Wilder///29
(Person, firm or corporation) (Type or print) Did any strata contain unusable water? In the In No Address 241437 & SKylane St. Carly Ore Type of water? Method of sealing strata off Was well gravel packed? | Yes A Size of gravel: ... Contractor's License No. 449 Date Sept 20 , 1974 Gravel placed from (USE ADDITIONAL SHEETS IF NECESSARY)