

The original and first copy of this report are to be filed with the

WATER WELL REPORT

RECEIVED

STATE OF OREGON MAY 14 1974

State Well No.

65/1W-3 db

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion.

(Please type or print)

STATE ENGINEER State Permit No.

SALEM, OREGON

G 7048

MARION 30/2

(1) OWNER:

Name Mt Calvary Cemetary
Address C/O. William Bean P.O. Box 517 Mt. Angel, Or.

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Cable [X] Dug [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) CASING INSTALLED:

8" Diam. from 1+0 ft. to 313 ft. Gage .250
Threaded [] Welded [X]

(6) PERFORATIONS:

Perforated? [] Yes [X] No

Type of perforator used

Table with columns: Size of perforations, in. by, in., Top side

(7) SCREENS:

Well screen installed? [] Yes [X] No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [X] No If yes, by whom?

Table with columns: Yield, gal./min. with, ft. drawdown after, hrs.

(9) CONSTRUCTION:

Well seal—Material used Cement
Well sealed from land surface to 22 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 17 sacks
Number of sacks of bentonite used in well seal
Brand name of bentonite
Number of pounds of bentonite per 100 Gallons of water lbs./100 gals.
Was a drive shoe used? [X] Yes [] No Plugs Size: location ft.
Did any strata contain unusable water? [] Yes [X] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [X] No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Marion Driller's well number
N.W. 1/4 S.E. 1/4 Section 3 T. 6.S. R. 1.W. W.M.

Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 35 ft.
Static level 14 ft. below land surface. Date 3/11/74
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8"
Depth drilled 385 ft. Depth of completed well 385 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL

Work started 2/19/74 19 Completed 3/11/74 19
Date well drilling machine moved off of well 3/11/74 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] H. Richardson Date 3/30/74, 19
(Drilling Machine Operator)

Drilling Machine Operator's License No. 738

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name R. Stadel & Sons Inc.
(Person, firm or corporation) (Type or print)

Address Silverton, reg.

[Signed] Paul R. Stadel
(Water Well Contractor)

Contractor's License No. 296 Date 3/30/74, 19