

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

OBSERVATION WELL WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line)

State Well No. 6/1w-6N(CD)

State Permit No.

RECEIVED 29 1968

G-4211

(1) OWNER: STATE ENGINEER

Name William M. Jebousek Address 10601 Howell Prarie Rd. Salem, Ore.

(11) LOCATION OF WELL:

County Marion Driller's well number 1289 SW 1/4 SW 1/4 Section 6 T.6 R.1W W.M. Bearing and distance from section or subdivision corner

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Cable [x] Dug [ ] Driven [ ] Jetted [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [x] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

CASING INSTALLED:

8" Diam. from top ft. to 165 ft. Gage 250

PERFORATIONS:

Perforated? [x] Yes [ ] No.

Type of perforator used Mills Size of perforations 3/8 in. by 2 in. 88 perforations from 148 ft. to 164 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No

Manufacturer's Name Type Diam. Slot size Set from ft. to

(8) WATER LEVEL: Completed well.

Static level 20 ft. below land surface Date 2-15-68

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [x] Yes [ ] No If yes, by whom? Driller Yield: 140 gal./min. with 22 ft. drawdown after 6 hrs. 200 " 24 " 6 " 300 " 29 " 6 "

(10) CONSTRUCTION:

Well seal-Material used Drill cuttings & Puddle clay Depth of seal 20 ft. Diameter of well bore to bottom of seal 12 in. Were any loose strata cemented off? [ ] Yes [x] No Depth Was a drive shoe used? [x] Yes [ ] No Did any strata contain unusable water? [ ] Yes [ ] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [x] No Size of gravel: Gravel placed from ft. to

(12) WELL LOG:

Diameter of well below casing

Depth drilled 165 ft. Depth of completed well 165 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Top Soil, Brown Clay, Brown Sandy Clay, Brown Sand & Gravel, Brown Sand & Clay, Gray Clay, Black Sand & Small Gravel, Gray Clay, Black Sand & Gravel, Gray Clay & Black Sand, Black Sand & Gravel.

Work started 2-1-68 19 Completed 2-15-68 19

Date well drilling machine moved off of well 2-16-68 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Lsh Beckwith Date 2-16-68 19 (Drilling Machine Operator)

Drilling Machine Operator's License No. 151

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME WILLAMETTE DRILLING COMPANY (Person, firm or corporation) (Type or print)

Address 7641 35th Ave. NE (Rt. 2) Salem,

[Signed] Emil D. Beier (Water Well Contractor)

Contractor's License No. 2 Date 2-16-68 19