STATE OF OREGON WATER RESOURCES DEPARTMENT 3 1978 SALEM, OREGON 97310 NUV 3 (Please type or print) State Permit No. ... within 30 days from the date of well completivaTER RESOURCES DEPTot write above this line) SALEM. OREGON (10) LOCATION OF WELL: (1) OWNER: County Marion Driller's well number Butsch Brethers Name SE 14 NW 14 Section 13 т. 63 R. 1W W.M. 8456 May Read NE Address Mt. Angel. Oregen 97362 Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Reconditioning [ Abandon | Deepening M New Well □ If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven | Rotary ft. below land surface. Date 10/20/78 Domestic | Industrial | Municipal | Static level ō Jetted Cable Irrigation 🔽 Test Well 🗌 Other Bored [ Artesian pressure lbs. per square inch. Date ORIGINAL te (5) CASING INSTALLED: Threaded | Welded | (12) WELL LOG: 8" to 540 Diameter of well below casing ... " Diam. from \_\_\_\_\_ ft. to \_\_\_\_ ft. Gage \_\_\_\_ Depth drilled ft. Depth of completed well 540 " Diam. from ...... ft. to ..... ft. Gage ..... Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, " Diam. from ...... ft. to ..... ft. Gage ..... with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? 🗌 Yes 🕱 No. MATERIAL From Type of perforator used Claystone Med. Green & Gry 152 171 Size of perforations in, by Basalt Hard Grey 171 223 perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Weathered Basalt Medium 256 223 \_\_\_ perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Basalt Hard Grey 256 perforations from ...... ft. to ..... Weathered Basalt Pereus (7) SCREENS: Well screen installed? | Yes Y No Green, Grey, Brown. & Yel .441 460 WB Badalt Hard Grev 460 478 Model No. Weathered Basalt Fereus 478 483 Diam. Slot size Set from ft. to ft. Basalt Hard Grev 483 540 Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? 

Yes No If yes, by whom? gal./min. with ft. drawdown after hrs. Buller test appr. 650gal./min. with 300ft. drawdown after 2 g.p.m. perature of water Depth artesian flow encountered ...... ft. Work started 10/16/78 Completed 10/20/78 19 Original Date well drilling machine moved off of well (9) CONSTRUCTION: Drilling Machine Operator's Certification: Well seal-Material used ..... This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to best knowledge and belief.
[Signed] Diameter of well bore to bottom of seal in. (Drilling Machine Operator)

Date 10/20/, 1978 Diameter of well bore below seal .....in. Number of sacks of cement used in well seal ...... sacks Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge-and belief. Name WEST COAST DRILLING CO., INC.

(Type or print) Was a drive shoe used? Yes No Plug ..... Size: location ...... ft. Did any strata contain unusable water? Yes 🗍 No Address 220 Academy St., Mt. Angel, OR 97362 Type of water? Method of sealing strata off Was well gravel packed? Yes No Size of gravel: ..... Contractor's License No. 519 Date 10/21/78 , 19 Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_ ft. (USE ADDITIONAL SHEETS IF NECESSARY) SP\*45656-119

NOTICE TO WATER WELL CONTRACTOR The original and first copy of his report are to be filed with