

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED

JUN 26 1967

WATER WELL REPORT

STATE ENGINEER STATE OF OREGON SALEM OREGON (Please type or print)

MARION

State Well No. 6/160-15 J

State Permit No.

(1) OWNER: (CONTINUATION SHEET)

Name Mr. Charles Wavra
Address Rte. 1, Box 140 Mt. Angel, Oregon

(2) LOCATION OF WELL:

County Marion Driller's well number
Bearing and distance from section or subdivision corner
Loc. is on the other sheet.

(3) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [X] Test Well [] Other []

(5) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []

(6) CASING INSTALLED:

Threaded [] Welded [X]
Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? [X] Yes [] No
Type of perforator used Mills Knife
Size of perforations 3/8 in. by 3 in.
32 perforations from 69 ft. to 76 ft.
705 perforations from 76 ft. to 123 ft.
20 perforations from 123 ft. to 128 ft.
30 perforations from 128 ft. to 130 ft.
541 perforations from 150 ft. to 255 ft.

(8) SCREENS:

Well screen installed? [] Yes [X] No
Manufacturer's Name
Model No.
Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal see other sheet.
Depth of seal ft. Was a packer used?
Diameter of well bore to bottom of seal in.
Were any loose strata cemented off? [] Yes [] No Depth
Was a drive shoe used? [] Yes [] No
Was well gravel packed? [] Yes [] No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? [] Yes [] No
Type of water? depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 18 ft. below land surface Date 3/27/67
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [X] Yes [] No if yes, by whom? Drillers
Yield: 150 gal./min. with 177 ft. drawdown after 4 hrs.
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [] Yes [] No

(12) WELL LOG:

Diameter of well below casing XX0
Depth drilled 260 ft. Depth of completed well 260 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with 3 columns: MATERIAL, FROM, TO. Contains entries for Clay-grey, sticky; Clay-light brown, sticky; Clay-greyish blue, sticky; Clay-greyish brown, sticky.

Work started March 1, 1967, Completed March 29, 1967
Date well drilling machine moved off of well March 29 1967

(13) PUMP:

Manufacturer's Name
Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME R. Stadel & Sons
Address Rte. 3, Box 169, Silverton, Oregon

Drilling Machine Operator's License No. 322
[Signed] Paul R. Stadel (Water Well Contractor)
Contractor's License No. 296 Date April 11, 1967