WATER WEEL REFERENCE IVED NOTICE TO WATER WELL CONTRACTOR The original and first copy State Well No. 6-1w-16 of this report are to be, filed with the STATE OF OREGON (Please type or print) JAN2 91976 STATE ENGINEER, SALEM, OREGON 97310 (Do not write above ATER) RESOURCES DEPT. within 30 days from the date of well completion. EALEM. OREGON (10) LOCATION OF WELL: (1) OWNER: County Marion LeRoy Duda Driller's well number Rt 1 Box 158, Mt Angel, Oregon S.E. 14 N.E. 14 Section 16 T.6.S. R. 1. W. W.M. Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Reconditioning [Abandon | New Well T Deepening [If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Driven [Rotary ft. below land surface. Static level Domestic | Industrial | Municipal | Cable Jetted | Irrigation 🎽 Test Well 🗌 Other Ibs. per square inch. Date Artesian pressure Bored | Dug CASING INSTALLED: Threaded | Welded 250 WELL LOG: Diameter of well below casing Depth drilled ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; " Diam. from _____ ft. to ____ ft. Gage and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. S: Perforated? TYes No. Mills Knife PERFORATIONS: MATERIAL. From To Type of perforator used Top Soil brn. Size of perforations in. by ... ft. to 158 2 26 Clay brn. 462 ... perforations from 26 29 Clay grey perforations from 29 41 Gravel&fine sand blk. ... perforations from 47 Med Conglomerate grey Pea gravel& sand med blk.W.B. 119 (7) SCREENS: Well screen installed? | Yes | No Course sand blk. W.B. 119 123 Manufacturer's Name Looser sand& gravel blk, W.B. 123 .56 156 158 Med sand blk. Diam. Slot size Set from 189 Clay grey Diam, Slot size Set from ft. to Drawdown is amount water level is lowered below static level Back filled up to casing with (8) WELL TESTS: Was a pump test made? Yes No If yes, by whom? Driller ### 2 round gravel. Yield: 275 ft. drawdown after 4 hrs. gal./min. with gal./min. with Bailer test Artesian flow Completed 11/18/75 Work started 9/29/75 Depth artesian flow encountered 19 erature of water 11/18/75 Date well drilling machine moved off of well 19 (9) CONSTRUCTION: Cement 30 Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my Well sealed from land surface to ... best knowledge and belief. Tack of Date 11/28/75 Diameter of well bore to bottom of seal_-Diameter of well bore below seal ... (Drilling Machine Operator) Number of sacks of cement used in well seal ... Drilling Machine Operator's License No. Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report-is lbs./100 gals. true to the best of my knowledge and belief.

Stadeli Brilling Co. Was a drive shoe used? Yes No Plugs Size: location ft. Did any strata contain unusable water? Tyes No Silverton, regon depth of strata Address Type of water? Method of sealing strata off

Contractor's License No.

Was well gravel packed? 🗌 Yes 🔊 No

Gravel placed from

Date 1/28/75 19