NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report, are to be filed with the ATER WELL REPORT State Well No. Co.S. LW-17 Cbb WATER RESOURCES DEPARTMENTS STATE OF OREGON SALEM, OREGON 97310 (Please type or print) within 30 days from the datu 2 2 1979 State Permit No. . (Do not write above this line) of well completion. WATER RESOURCES DEPT SALEM, OREGON (10) LOCATION OF WELL: (1) OWNER: 2117 Name Alan Obersinner county Marion Driller's well number Address 7886 North Howell Rd R. 1W 1/4 Section 17 ≖. 6S W.M. Silverton, Oregon Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well M Deepening [ Reconditioning | Abandon [7] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Rotary Driven [ ft. below land surface. Date 1/17 Domestic 🔲 Industrial 🗍 Municipal 🗍 Static level Jetted 🔲 Cable Irrigation 📜 Test Well 🗌 Other Artesian pressure Dug Bored 🛘 lbs. per square inch. Date CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing ft. Depth of completed well 231 My Diam from top 11 to 231 11 Gage .250 231 Depth drilled " Diam from ..... ft. to ..... Formation: Describe color, texture, grain size and structure of materials; .... " Diam. from .... ft. to .... and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. PERFORATIONS: Perforated? X Yes | No. Type of perforator usedMills Knife MATERIAL. From n in, by XMXXXX Topsoil Size of perforations 36 130 Brown Clay 330 108 perforations from . 36 74 Grav Clav ft. perforations from . Gray Clay and Baack Sand 74 96 ft. to ft. perforations from 96 130 Black\_Sand and Gravel (7) SCREENS: Well screen installed? 
Yes 
No 30 135 Blue Clay 35 147 Manufacturer's Name .. Sandy Black Gravel 147 Model No. Black Sand and Gravel ... Slot size .... Set from . ft. to Cemented Black Sand and ft. to Diam. ..... Slot size ..... Set from Gravel Blue Clay Drawdown is amount water level is (8) WELL TESTS: Was a pump test made? K Yes | No If yes, by whom?driller 17 ft. drawdown after rield: 500 gal./min. with · 650 ft. drawdown after hrs. gal./min. with Bailer test Artesian flow Depth artesian flow encountered ... Work started 12/1/77 perature of water Completed 1/18/78 Date well drilling machine moved off of well (9) CONSTRUCTION: Portland Cement Drilling Machine Operator's Certification: Well seal-Material used ..... This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. Well sealed from land surface to . Diameter of well bore to bottom of sea Diameter of well bore below seal .... Morton Date 1/18/789 26 Number of sacks of cement used in well seal How was cement grout placed? Poured in Drilling Machine Operator's License No. .... fromt

## Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Willamette Drilling Co.
(Person, firm or corporation)

Address 1450 Barnick Rd. NE Salem, Or 97303

[Signed] A Callas C

(Water Well Contractor)

Contractor's License No. .561..... Date .1/18/78.

<u>1.45656-119</u>

(USE ADDITIONAL SHEETS IF NECESSARY)

... Size: location

depth of strata

et 10 .....

Size of gravel:

Was a drive shoe used? Yes | No Plugs ...

Type of water?

Method of sealing strata off

Gravel placed from ....

Was well gravel packed? [] Yes No

Did any strata contain unusable water 🗆 Yes 🗶 No

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report

are to be filed with the

OREGON

WATER RESOURCES Above this line ) COUNCIS DEPT.

State Permit No.

		-
0	_	12
la		
1-1	_ ~ -	

WATER RESOURCES DEPARTMENT SALEM, OREGON 97310 within 30 days from the date of well completion.

(1) OWNER:

New Well

Rotary

Cable

Name Alan Obersinner

(3) TYPE OF WELL:

(6) PERFORATIONS:

Size of perforations

(7) SCREENS:

Manufacturer's Name .

Diam. ..... Slot size .

Diam. ..... Slot size ...

(8) WELL TESTS:

500 650

Bailer test

sian flow

Type of water?

Method of sealing girata off

Gravel placed from .....

Was well gravel packed? Tyes No

emperature of water

(9) CONSTRUCTION:

Well sealed from land surface to

Diameter of well bore below seal ... Number of sacks of cement used in well seal

330

744

Type

Address 7886 North Howell Rd.

(2) TYPE OF WORK (check):

Driven 🗍

Jetted

(5) CASING INSTALLED:

# Diam. from ...... ft. to ....

Type of perforator used Mills Knife

12\_\_\_ # Diam. from \_\_\_\_\_top\_\_\_\_ ft. to \_\_\_231\_

perforations from .

perforations from

perforations from

Deepening [] If abandonment, describe material and procedure in Item 12.

Silverton, Oragon 97381

Abandon 🛘

Reconditioning [

ft. to ....

108

147

Set from

Was a pump test made? ☑ Yes ☐ No If yes, by whom? driller

g.p.m.

How was cement grout placed? poured in from the top

Was a drive shoe used? 🕱 Yes 🗌 No 🍳 🖽 ................... Size: location .....

Did any strata contain unusable water Yes X No

gal./min. with

Well seal-Material used Portland Cement

Diameter of well bore to bottom of sea 10

gal./min. with

Set from ......

7/16 in. by

(4) PROPOSED USE (check):

Threaded [ Welded [X

Perforated? Z Yes D No.

ft. to

ft. to

2 3/4

Well screen installed? 
Yes 
No

Model No. .

Drawdown is amount water level is lowered below static level

17 ft. drawdown after

Depth artesian flow encountered .

depth of strata

ft. to

Size of gravel:

ft. drawdown after

\_ ft. to ...

.... £t. to .....

..... ft. Gage ...

ft. Gage .

. ft. Gage .. 250

130

Irrigation Test Well 🗆 Other

(10) LOCATION OF WELL Driller's well number 2117 Marion 14 Section 17 T. 65 R. 1W W.M. Bearing and distance from section or subdivision corner (11) WATER LEVEL: Completed well. Depth at which water was first found ft. below land surface. Date 1/17/78 35 Domestic | Industrial | Municipal | Static level lbs, per square inch. Date Artesian pressure (12) WELL LOG: Diameter of well below casing ... Depth drilled ft. Depth of completed well 231 Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata, MATERIAL From Topsoil 36 Brown Clay ft. 36 74 Gray Clay 74 96 Gray Clay and Black Sand 96 130 Black Sand and Gravel 130 135 Blue Clay Sandy Black Gravel 135 147 153 Black Sand and Gravel 147 153 225 Cemented Black Sand and Grave 225 231 Blue Clay hrs. hrs. ft. 1/18/78 Work started 12/1/77 19 Completed 19 1/18/78 Date well drilling machine moved off of well Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Ganald W. Moster Date 1/18/78. 19.... Drilling Machine Operator's License No. ..... Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. (Type or print) Address 1450 Barnick Rd. NE Salem. Oregon 97303 Well Contractor) [Signed] ...

**t** . ..

Contractor's License-No. 561

, 19..... .

Date 1/18/78